

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Liuquanmiao, Lidocaine Pain Relief Gel-Patch, Lidocaine 4%, 15 & 30 Patches

Active ingredient

Lidocaine 4% Purpose: Topical Analgesic

Purpose

Topical Analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use ... if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

... ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Usage

1. Remove patch from outer package
2. Partially peel back protection film
3. Place on affected area
4. Remove remaining film while pressing patch to skin

Questions or Comments

sumifunofficial@gmail.com


A dark gray rectangular box containing the word "Usage" in a white, bold, sans-serif font.



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film while pressing patch to skin

Maximum Strength

CUT OPEN HERE

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

1 PATCH
5.5" X 3.94"
14cm X 10cm



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin. patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

sumifunofficial@gmail.com
Guangzhou Lidocaine Import & Export Trade Co., Ltd.
411 Building A, No. 8, Dong Heng San Road,
Zhuocun, Tianhe District, Guangzhou/Guangdong, China;

Child Resistant Packaging
EXP:



Lidocaine

15
PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

15 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.
417, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient Lidocaine 4%
Purpose Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 4 6 1 7 6 7 7 7 1 4

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin, patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

sumifunofficial@gmail.com

Child Resistant Packaging

EXP:



LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-157
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

GLYCERIN (UNII: PDC6A3C00X)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-157-15	15 in 1 BOX	10/27/2023	
1	NDC:83602-157-01	12 g in 1 BAG; Type 0: Not a Combination Product		
2	NDC:83602-157-30	30 in 1 BOX	02/05/2024	
2	NDC:83602-157-01	12 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/27/2023	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(83602-157) , label(83602-157)

