RUIGOO MINOXIDIL TOPICAL GEL- minoxidil 5% gel Guangzhou Ruijiu Electronic Technology Co., Ltd.

RUIGOO MINOXIDIL TOPICAL GEL

RUIGOO MINOXIDIL TOPICAL GEL

MINOXIDIL 5%

Hair regrowth treatment for women.

Use to regrow hair on the top of the scalp.

is for Women who have a general thinning of hair onthe top of the scalp as shown.

For external use only.

Your degree of hair loss is different than that shown on side of this cartonbecause this product may not work for you.

Your hair loss is sudden and/or patchy

You are under 18 years of age. Do not use on babies or children

Your scalp is red, inflamed, infected, irritated, or painful

You use other medicines on the scalp

Do not use more than directed.

Avoid contact with the eyes, ears, and mouth. In case of accidental contact, rinse eyes with large amounts of cool tap water.

It takes time to regrow hair. Results may occur at 2 months with once dailyuse. For some individuals, it may take at least 4 months before resultsbecome noticeable. The amount of hair regrowth is different for each person. This product will not work for all women.


Stop use and ask a doctor if you experience chest pain, rapidheartbeat, faintness, or dizziness occurs, Scalp irritation or redness occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.(1-800-222-1222)

Apply 1ml once daily, gently massaging to enhance absorption.

Store between 41-86 °F (5-30 °C). Avoid freezing and exposure to excessiveheat above 104 °F (40 °C)

STEARIC ACID
OLEIC ACID
POLYSORBATE 80
SORBITAN MONOOLEATE
CARBOMER HOMOPOLYMER
CETYL ALCOHOL
CITRIC ACID MONOHYDRATE
GLYCERIN
PURIFIED WATER



RUIGOO MINOXIDIL TOPICAL GEL

minoxidil 5% gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
CETYL ALCOHOL (UNII: 936JST6JCN)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)			
OLEIC ACID (UNII: 2UMI9U37CP)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)			
WATER (UNII: 059QF0KO0R)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:83767-101-	1 in 1 CARTON	10/26/2023		
NDC:83767-101-	100 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/26/2023	

Labeler - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Registrant - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Establishment				
Name	Address	ID/FEI	Business Operations	
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-101)	

Revised: 4/2024 Guangzhou Ruijiu Electronic Technology Co., Ltd.