

**SORE THROAT- phenol spray
Preferred Plus (Kinray)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral Anesthetic/Analgesic

Uses

temporarily relieves sore throat pain, sore mouth, pain associated with canker sores, minor mouth irritation

Warnings

Sore throat warning: Severe or persistent sore throat or sore throat that occurs with high fever, headache, nausea, and vomiting may be serious. Ask a doctor right away. Do not use more than 2 days or give to children under 3 years of age.

**When using this product,
do not use more than directed.**

Stop use and ask a doctor if

- swelling, rash or fever develops
- irritation, pain or redness persists or worsens
- sore mouth symptoms do not improve in 7 days
- difficulty in breathing occurs

If pregnant or breast-feeding,
ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- apply to affected area
- use every 2 hours
- allow to remain in place for at least 15 seconds, then spit out

age	dose
adults and children 12 years and over	for each application, spray 5 times

children 3 to 11 years	should be supervised in use of this product for each application, spray 3 times
children under 3 years	ask a doctor or dentist

Other information

- store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients

alcohol, FD&C red #40, glycerin, natural & artificial flavor, purified water, saccharin sodium

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Sore Throat Spray

Phenol/Oral Anesthetic

Cherry Flavor

Fast-Acting Relief of Minor Sore Throat and Mouth Pain

- Sugar Free
- Aspirin Free

Alcohol 0.10%

*Compare to the Active Ingredient of Chloraseptic®

FL OZ (mL)

*This product is not manufactured or distributed by prestige Brands, inc., distributor of Chloraseptic®.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED WRAP AROUND THE CAP IS BROKEN OR TORN.

Distributed by: Kinray LLC

152-35 Tenth Avenue, Whitestone NY 11357

Package Label

NDC 61715-117-06

TAMPER EVIDENT: DO NOT USE IF IMPRINTED WRAP AROUND THE CAP IS BROKEN OR TORN.

All Preferred Plus Pharmacy products are satisfaction guaranteed or your money back from retailer where purchased.

©2014 Kinray LLC. All Rights Reserved. PREFERRED PLUS, PREFERRED PLUS+ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinray LLC. All other marks are property of their respective owners.

Distributed By: Kinray LLC, 152-35 Terth Avenue, Whitestone, NY 11357



Sore Throat Spray

Phenol/Oral Anesthetic Cherry Flavor



**Fast-Acting Relief of
Minor Sore Throat and Mouth Pain**

- Sugar Free
- Aspirin Free

Alcohol 0.10%

6 fl. oz. (177 mL.)

***Compare to the Active Ingredient
in Chloraseptic®.**



Drug Facts

Active ingredient Phenol 1.4% **Purpose** Oral Anesthetic/Analgesic

Uses temporarily relieves sore throat pain, sore mouth, pain associated with canker sores, minor mouth irritation

Warnings

Sore throat warning: Severe or persistent sore throat or sore throat that occurs with high fever, headache, nausea, and vomiting may be serious. Ask a doctor right away. Do not use more than 2 days or give to children under 3 years of age.

When using this product, do not use more than directed.

Stop use and ask a doctor if • swelling, rash or fever develops
• irritation, pain or redness persists or worsens
• sore mouth symptoms do not improve in 7 days
• difficulty in breathing occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• apply to affected area • use every 2 hours

• allow to remain in place for at least 15 seconds, then spit out

age	dose
adults and children 12 years and over	for each application, spray 5 times
children 3 to 11 years	should be supervised in use of this product for each application, spray 3 times
children under 3 years	ask a doctor or dentist

Other information • store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients alcohol, FD&C red #40, glycerin, natural & artificial flavor, purified water, saccharin sodium

Questions or comments? Call

1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Preferred Brands, Inc., distributor of Chloraseptic®.

Preferred Plus Sore Throat Spray

SORE THROAT

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61715-117
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61715-117-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/31/2014	12/31/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part356	10/31/2014	12/31/2020

Labeler - Preferred Plus (Kinray) (012574513)

Revised: 8/2019

Preferred Plus (Kinray)