

BATH BOMB 2-PACK (ROSE)- allantoin tablet, soluble
BATH BOMB 2-PACK (LAVENDER)- allantoin tablet, soluble
BATH BOMB 2-PACK (ORANGE)- allantoin tablet, soluble
BATH BOMB 2-PACK (LEMON)- allantoin tablet, soluble
BATH BOMB 6-PACK (LAVENDER)- allantoin tablet, soluble
BATH BOMB 2-PACK (EUCALYPTUS)- allantoin tablet, soluble
BATH BOMB 6-PACK (ORANGE)- allantoin tablet, soluble
BATH BOMB 6-PACK (ROSE)- allantoin tablet, soluble
BATH BOMB 6-PACK (PEPPERMINT)- allantoin tablet, soluble
BATH BOMB 6-PACK (LEMON)- allantoin tablet, soluble
BATH BOMB 2-PACK (PEPPERMINT)- allantoin tablet, soluble
BATH BOMB 6-PACK (EUCALYPTUS)- allantoin tablet, soluble
Carolina Cannabis Creations LLC

Bath bomb (Allantoin & Sodium bicarbonate)

Active Ingredients

Allantoin 0.5%

Sodium Bicarbonate 40%

Purpose

Skin Protectant

Skin Protectant

uses

Temporarily protects minor cuts, burns, scrapes, chafed, chapped, or cracked skin.

Warnings

For external use only.

Keep out of reach of children

Keep out of reach of children

When using this product

Do not get into eyes

Stop use and ask a doctor if

The condition worsens, symptoms last more than 7 days or clear up and occur again within a few days

Stop use and ask a doctor if

Condition worsens, symptoms last more than 7 days or clears up and occurs again within a few days

Do not use on

Deep or puncture wounds, animal bites, serious burns.

if pregnant or breast feeding

consult a health professional before use.

in case of overdose

seek medical help or contact a poison control center right away.

Directions

Adults and children 2 years and over. For use as soak in bath, dissolve 1 bath bomb in warm tub of water, Soak for 10 to 30 minutes as needed, or as directed by doctor. Pat dry (do not rub) to leave a thin layer on the skin

other information

store at 20-25C (68-77 F)

Inactive ingredients

Cannabidiol (CBD) Isolate, Citric acid, Corn Starch, essential oils, Jojoba oil, Magnesium Sulfate (Epsom salts), Mica powder, polysorbate 80.

front label



back label





*All Natural
Bath Bombs*

100MG CBD Isolate

6-pack



Drug Facts

Active Ingredients (per bath bomb) **Purpose**
allantoin 0.5% Skin Protectant
Sodium bicarbonate 40% Skin Protectant

Uses temporarily protects minor cuts, burns,
scrapes, chafed, chapped or cracked skin

Warnings

For external use only. Keep out of reach of children.

When using this product: Do not get into eyes.

Stop use and ask a doctor if: Condition worsens.

Symptoms last more than 7 days or clear up and

occur again within a few days.

Do not use on: Deep or puncture wounds.

animal bites, serious burns.

If pregnant or breast-feeding, consult a health

professional before use.

In case of overdose, seek medical help or

contact a Poison Control Center right away.

Directions

Adults and children 2 years and over:

For use as a soak in a bath: dissolve 1 bath

bomb in a tub of warm water; soak for 10 to 20

minutes as needed, or as directed by a doctor.

pat dry (do not rub) to keep a thin layer on the

skin.

Other information: store at 20-25°C (68-77°F).

Inactive Ingredients

Cannabidiol (CBD) isolate, Citric acid, Core starch,

Essential oils, Jojoba oil, Magnesium sulfate

(epson salt), Rice powder, Polyacrylate 60.

BUCALYPTUS 6-BACK

100mg CBD per bath bomb, 600mg total

NDC # 82876-513-04



MFG By:

Caroline Cannabis Creations, LLC

1401 ST. Andrews rd, Suite 170,

Columbia SC, 29203

www.carolinacannabiscreeations.com

Batch: Lot: Exp. Date:

Drug Facts

Active Ingredients (per bath bomb) Purpose
allantoin 0.5% Skin Protectant
Sodium bicarbonate 40% Skin Protectant
Use: temporarily protects minor - cuts - burns
- scrapes - chafed, chapped or cracked skin
Warnings:
For external use only. Keep out of reach of children.
When using this product: Do not get into eyes.
Stop use and ask a doctor if - Condition worsens
- Symptoms last more than 7 days or clear up and
occur again within a few days.
Do not use on - Deep or puncture wounds
- animal bites - serious burns
If pregnant or breast-feeding, consult a health
professional before use.
In case of overdose, seek medical help or
contact a Poison Control Center right away.
Directions:
- adults and children 2 years and over:
For use as a soak in a bath - dissolve 1 bath
bomb in a tub of warm water - soak for 10 to 20
minutes as needed, or as directed by a doctor -
pat dry (do not rub) to keep a thin layer on the
skin.
Other information: - store at 20-25°C (68-77°F)

Inactive Ingredients
Cannabidiol (CBD) isolate, Citric acid, Corn starch,
Essential oils, Jojoba oil, Hexamium sulfate
(epson salts), Mica powder, Polycarbonate 80

ROSE 6-PACK
100mg CBD per bath bomb, 600mg total

NDC # 82816-510-06



MFG By:
Carolina Cannabis Creations, L.L.C.
1401 ST. Andrews rd, Suite 170,
Columbia SC, 29210
www.carolinacannabiscollections.com

Batch # _____ Lot # _____ Exp. Date _____

Drug Facts

Active Ingredients (per bath bomb) Purpose
allantoin 0.5% Skin Protectant
Sodium bicarbonate 40% Skin Protectant
Use: temporarily protects minor - cuts - burns
- scrapes - chafed, chapped or cracked skin
Warnings:
For external use only. Keep out of reach of children.
When using this product: Do not get into eyes.
Stop use and ask a doctor if - Condition worsens
- Symptoms last more than 7 days or clear up and
occur again within a few days.
Do not use on - Deep or puncture wounds
- animal bites - serious burns
If pregnant or breast-feeding, consult a health
professional before use.
In case of overdose, seek medical help or
contact a Poison Control Center right away.
Directions:
- adults and children 2 years and over:
For use as a soak in a bath - dissolve 1 bath
bomb in a tub of warm water - soak for 10 to 20
minutes as needed, or as directed by a doctor -
pat dry (do not rub) to keep a thin layer on the
skin.
Other information: - store at 20-25°C (68-77°F)

Inactive Ingredients
Cannabidiol (CBD) isolate, Citric acid, Corn starch,
Essential oils, Jojoba oil, Hexamium sulfate
(epson salts), Mica powder, Polycarbonate 80

LEMON 6-PACK
100mg CBD per bath bomb, 600mg total

NDC # 82816-509-06



MFG By:
Carolina Cannabis Creations, L.L.C.
1401 ST. Andrews rd, Suite 170,
Columbia SC, 29210
www.carolinacannabiscollections.com

Batch # _____ Lot # _____ Exp. Date _____

Drug Facts

Active Ingredients (per bath bomb) Purpose
allantoin 0.5% Skin Protectant
Sodium bicarbonate 40% Skin Protectant
Use: temporarily protects minor - cuts - burns
- scrapes - chafed, chapped or cracked skin
Warnings:
For external use only. Keep out of reach of children.
When using this product: Do not get into eyes.
Stop use and ask a doctor if - Condition worsens
- Symptoms last more than 7 days or clear up and
occur again within a few days.
Do not use on - Deep or puncture wounds
- animal bites - serious burns
If pregnant or breast-feeding, consult a health
professional before use.
In case of overdose, seek medical help or
contact a Poison Control Center right away.
Directions:
- adults and children 2 years and over:
For use as a soak in a bath - dissolve 1 bath
bomb in a tub of warm water - soak for 10 to 20
minutes as needed, or as directed by a doctor -
pat dry (do not rub) to keep a thin layer on the
skin.
Other information: - store at 20-25°C (68-77°F)

Inactive Ingredients
Cannabidiol (CBD) isolate, Citric acid, Corn starch,
Essential oils, Jojoba oil, Hexamium sulfate
(epson salts), Mica powder, Polycarbonate 80

LAVENDER 6-PACK
100mg CBD per bath bomb, 600mg total

NDC # 82816-508-06



MFG By:
Carolina Cannabis Creations, L.L.C.
1401 ST. Andrews rd, Suite 170,
Columbia SC, 29210
www.carolinacannabiscollections.com

Batch # _____ Lot # _____ Exp. Date _____

Drug Facts		
Active ingredients (per bath bomb) Purpose Salicylic Acid 0.5% Skin Protectant Sodium bicarbonate 40% Skin Protectant		
Use temporarily protects minor: - cuts - burns - scrapes - chafed, chapped or cracked skin		
Warnings For external use only. Keep out of reach of children. When using this product - Do not get into eyes. Stop use and ask a doctor if - Condition worsens - Symptoms last more than 7 days or clear up and occur again within a few days. Do not use on - Deep or puncture wounds - animal bites - serious burns If pregnant or breast-feeding, consult a health professional before use. In case of overdose, seek medical help or contact a Poison Control Center right away.		
Directions - adults and children 2 years and over: For use as a soak in a bath - dissolve 1 bath bomb in a tub of warm water - soak for 10 to 20 minutes as needed, or as directed by a doctor - pat dry (do not rub) to keep a thin layer on the skin. Other information - store at 20-25°C (68-77°F)		
Inactive ingredients Carbamide (CND) lactate, Citric acid, Cornstarch, Essential oils, Jojoba oil, Hydroxyethylcellulose, Peppermint oil, Polyacrylate 80, Potassium salts, Silica powder, Polyacrylate 80		
SWEET ORANGE 6-PACK 100mg CBD per bath bomb, 600mg total NDC # 8286-509-06		
MFC By: Caroline Cannable Creations, L.L.C. 1401 St. Andrews rd, Suite 170, Columbia SC, 29210 www.carolinecannablecreations.com		
Expiry Date	Lot	Exp. Date

Drug Facts		
Active ingredients (per bath bomb) Purpose Salicylic Acid 0.5% Skin Protectant Sodium bicarbonate 40% Skin Protectant		
Use temporarily protects minor: - cuts - burns - scrapes - chafed, chapped or cracked skin		
Warnings For external use only. Keep out of reach of children. When using this product - Do not get into eyes. Stop use and ask a doctor if - Condition worsens - Symptoms last more than 7 days or clear up and occur again within a few days. Do not use on - Deep or puncture wounds - animal bites - serious burns If pregnant or breast-feeding, consult a health professional before use. In case of overdose, seek medical help or contact a Poison Control Center right away.		
Directions - adults and children 2 years and over: For use as a soak in a bath - dissolve 1 bath bomb in a tub of warm water - soak for 10 to 20 minutes as needed, or as directed by a doctor - pat dry (do not rub) to keep a thin layer on the skin. Other information - store at 20-25°C (68-77°F)		
Inactive ingredients Carbamide (CND) lactate, Citric acid, Cornstarch, Essential oils, Jojoba oil, Hydroxyethylcellulose, Peppermint oil, Polyacrylate 80, Potassium salts, Silica powder, Polyacrylate 80		
PEPPERMINT 6-PACK 100mg CBD per bath bomb, 600mg total NDC # 8286-511-06		
MFC By: Caroline Cannable Creations, L.L.C. 1401 St. Andrews rd, Suite 170, Columbia SC, 29210 www.carolinecannablecreations.com		
Expiry Date	Lot	Exp. Date

Drug Facts		
Active ingredients (per bath bomb) Purpose Salicylic Acid 0.5% Skin Protectant Sodium bicarbonate 40% Skin Protectant		
Use temporarily protects minor: - cuts - burns - scrapes - chafed, chapped or cracked skin		
Warnings For external use only. Keep out of reach of children. When using this product - Do not get into eyes. Stop use and ask a doctor if - Condition worsens - Symptoms last more than 7 days or clear up and occur again within a few days. Do not use on - Deep or puncture wounds - animal bites - serious burns If pregnant or breast-feeding, consult a health professional before use. In case of overdose, seek medical help or contact a Poison Control Center right away.		
Directions - adults and children 2 years and over: For use as a soak in a bath - dissolve 1 bath bomb in a tub of warm water - soak for 10 to 20 minutes as needed, or as directed by a doctor - pat dry (do not rub) to keep a thin layer on the skin. Other information - store at 20-25°C (68-77°F)		
Inactive ingredients Carbamide (CND) lactate, Citric acid, Cornstarch, Essential oils, Jojoba oil, Hydroxyethylcellulose, Peppermint oil, Polyacrylate 80, Potassium salts, Silica powder, Polyacrylate 80		
PEPPERMINT 6-PACK 100mg CBD per bath bomb, 600mg total NDC # 8286-509-02		
MFC By: Caroline Cannable Creations, L.L.C. 1401 St. Andrews rd, Suite 170, Columbia SC, 29210 www.carolinecannablecreations.com		
Expiry Date	Lot	Exp. Date

Drug Facts		
Active ingredients (per bath bomb) Purpose Salicylic Acid 0.5% Skin Protectant Sodium bicarbonate 40% Skin Protectant		
Use temporarily protects minor: - cuts - burns - scrapes - chafed, chapped or cracked skin		
Warnings For external use only. Keep out of reach of children. When using this product - Do not get into eyes. Stop use and ask a doctor if - Condition worsens - Symptoms last more than 7 days or clear up and occur again within a few days. Do not use on - Deep or puncture wounds - animal bites - serious burns If pregnant or breast-feeding, consult a health professional before use. In case of overdose, seek medical help or contact a Poison Control Center right away.		
Directions - adults and children 2 years and over: For use as a soak in a bath - dissolve 1 bath bomb in a tub of warm water - soak for 10 to 20 minutes as needed, or as directed by a doctor - pat dry (do not rub) to keep a thin layer on the skin. Other information - store at 20-25°C (68-77°F)		
Inactive ingredients Carbamide (CND) lactate, Citric acid, Cornstarch, Essential oils, Jojoba oil, Hydroxyethylcellulose, Peppermint oil, Polyacrylate 80, Potassium salts, Silica powder, Polyacrylate 80		
PEPPERMINT 6-PACK 100mg CBD per bath bomb, 600mg total NDC # 8286-507-02		
MFC By: Caroline Cannable Creations, L.L.C. 1401 St. Andrews rd, Suite 170, Columbia SC, 29210 www.carolinecannablecreations.com		
Expiry Date	Lot	Exp. Date

Drug Facts		
Active ingredients (per bath bomb) Purpose Salicylic Acid 0.5% Skin Protectant Sodium bicarbonate 40% Skin Protectant		
Use temporarily protects minor: - cuts - burns - scrapes - chafed, chapped or cracked skin		
Warnings For external use only. Keep out of reach of children. When using this product - Do not get into eyes. Stop use and ask a doctor if - Condition worsens - Symptoms last more than 7 days or clear up and occur again within a few days. Do not use on - Deep or puncture wounds - animal bites - serious burns If pregnant or breast-feeding, consult a health professional before use. In case of overdose, seek medical help or contact a Poison Control Center right away.		
Directions - adults and children 2 years and over: For use as a soak in a bath - dissolve 1 bath bomb in a tub of warm water - soak for 10 to 20 minutes as needed, or as directed by a doctor - pat dry (do not rub) to keep a thin layer on the skin. Other information - store at 20-25°C (68-77°F)		
Inactive ingredients Carbamide (CND) lactate, Citric acid, Cornstarch, Essential oils, Jojoba oil, Hydroxyethylcellulose, Peppermint oil, Polyacrylate 80, Potassium salts, Silica powder, Polyacrylate 80		
PEPPERMINT 6-PACK 100mg CBD per bath bomb, 600mg total NDC # 8286-509-02		
MFC By: Caroline Cannable Creations, L.L.C. 1401 St. Andrews rd, Suite 170, Columbia SC, 29210 www.carolinecannablecreations.com		
Expiry Date	Lot	Exp. Date



BATH BOMB 2-PACK (ROSE)

allantoin tablet, soluble

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-504
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)		ALLANTOIN	1.1 g in 186.16 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)		SODIUM BICARBONATE	82 g in 186.16 g
Inactive Ingredients			
Ingredient Name		Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		1.9 g in 186.16 g	
STARCH, CORN (UNII: O8232NY3SJ)		18.7 g in 186.16 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		38 g in 186.16 g	
MICA (UNII: V8A1AW0880)		0.7 g in 186.16 g	
JOJOBA OIL (UNII: 724GKU717M)		2.7 g in 186.16 g	
CANNABIDIOL (UNII: 19GBJ60SN5)		0.21 g in 186.16 g	
ROSE OIL (UNII: WUB68Y35M7)		3.25 g in 186.16 g	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)		37.6 g in 186.16 g	
Product Characteristics			

Product Characteristics				
Color		purple	Score	score with uneven pieces
Shape		ROUND	Size	55mm
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-502-02	186.16 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M016	08/06/2025	

BATH BOMB 2-PACK (ORANGE)			
allantoin tablet, soluble			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-503
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)		ALLANTOIN	1.1 g in 187.91 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)		SODIUM BICARBONATE	82 g in 187.91 g
Inactive Ingredients			
Ingredient Name		Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		1.9 g in 187.91 g	
STARCH, CORN (UNII: O8232NY3SJ)		18.7 g in 187.91 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		38 g in 187.91 g	
MICA (UNII: V8A1AW0880)		0.7 g in 187.91 g	
JOJOBA OIL (UNII: 724GKU717M)		2.7 g in 187.91 g	
CANNABIDIOL (UNII: 19GBJ60SN5)		0.21 g in 187.91 g	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)		37.6 g in 187.91 g	
ORANGE OIL (UNII: AKN3KSD11B)		5 g in 187.91 g	

Product Characteristics				
Color	orange	Score	score with uneven pieces	
Shape	ROUND	Size	55mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-503-02	187.91 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016		08/06/2025	

BATH BOMB 2-PACK (LEMON)			
allantoin tablet, soluble			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-501
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)		ALLANTOIN	1.1 g in 187.91 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)		SODIUM BICARBONATE	82 g in 187.91 g
Inactive Ingredients			
Ingredient Name		Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		1.9 g in 187.91 g	
STARCH, CORN (UNII: O8232NY3SJ)		18.7 g in 187.91 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		38 g in 187.91 g	
MICA (UNII: V8A1AW0880)		0.7 g in 187.91 g	
JOJOBA OIL (UNII: 724GKU717M)		2.7 g in 187.91 g	
CANNABIDIOL (UNII: 19GBJ60SN5)		0.21 g in 187.91 g	
LEMON OIL (UNII: I9GRO824LL)		5 g in 187.91 g	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)		37.6 g in 187.91 g	

Product Characteristics

Color	yellow	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-501-02	187.91 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 6-PACK (LAVENDER)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-508
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	3.1 g in 555.3 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	248 g in 555.3 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	5.7 g in 555.3 g
STARCH, CORN (UNII: O8232NY3SJ)	56 g in 555.3 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	112 g in 555.3 g
MICA (UNII: V8A1AW0880)	2.1 g in 555.3 g
JOJOBA OIL (UNII: 724GKU717M)	8 g in 555.3 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.65 g in 555.3 g
LAVENDER OIL (UNII: ZBP1YXW0H8)	9.75 g in 555.3 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	113 g in 555.3 g

Product Characteristics

Color	purple	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-508-06	555.3 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 2-PACK (EUCALYPTUS)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-506
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	1.1 g in 186.16 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	82 g in 186.16 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	1.9 g in 186.16 g
STARCH, CORN (UNII: O8232NY3SJ)	18.7 g in 186.16 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	38 g in 186.16 g
MICA (UNII: V8A1AW0880)	0.7 g in 186.16 g
JOJOBA OIL (UNII: 724GKU717M)	2.7 g in 186.16 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.21 g in 186.16 g
EUCALYPTUS OIL (UNII: 2R04ONI662)	3.25 g in 186.16 g

MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)			37.6 g in 186.16 g	
Product Characteristics				
Color	white	Score	score with uneven pieces	
Shape	ROUND	Size	55mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-506-02	186.16 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M016	08/06/2025	

BATH BOMB 6-PACK (ORANGE)

allantoin tablet, soluble

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-509
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)		ALLANTOIN	3.1 g in 560.55 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)		SODIUM BICARBONATE	248 g in 560.55 g
Inactive Ingredients			
Ingredient Name		Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		5.7 g in 560.55 g	
STARCH, CORN (UNII: O8232NY3SJ)		56 g in 560.55 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		112 g in 560.55 g	
MICA (UNII: V8A1AW0880)		2.1 g in 560.55 g	
JOJOBA OIL (UNII: 724GKU717M)		8 g in 560.55 g	
CANNABIDIOL (UNII: 19GBJ60SN5)		0.65 g in 560.55 g	

ORANGE OIL (UNII: AKN3KSD11B)	15 g in 560.55 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	113 g in 560.55 g

Product Characteristics

Color	orange	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-509-06	206.01 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 6-PACK (ROSE)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-510
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	3.1 g in 555.3 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	248 g in 555.3 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	5.7 g in 555.3 g
STARCH, CORN (UNII: O8232NY3SJ)	56 g in 555.3 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	112 g in 555.3 g
MICA (UNII: V8A1AW0880)	2.1 g in 555.3 g
JOJOBA OIL (UNII: 724GKU717M)	8 g in 555.3 g

CANNABIDIOL (UNII: 19GBJ60SN5)			0.65 g	in 555.3 g
ROSE OIL (UNII: WJB68Y35M7)			9.75 g	in 555.3 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)			113 g	in 555.3 g
Product Characteristics				
Color	pink	Score	score with uneven pieces	
Shape	ROUND	Size	55mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-510-06	555.3 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M016	08/06/2025	

BATH BOMB 6-PACK (PEPPERMINT)

allantoin tablet, soluble

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-511
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)		ALLANTOIN	3.1 g in 555.3 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)		SODIUM BICARBONATE	248 g in 555.3 g
Inactive Ingredients			
Ingredient Name		Strength	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		5.7 g in 555.3 g	
STARCH, CORN (UNII: O8232NY3SJ)		56 g in 555.3 g	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		112 g in 555.3 g	
MICA (UNII: V8A1AW0880)		2.1 g in 555.3 g	

JOJOBA OIL (UNII: 724GKU717M)	8 g in 555.3 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.65 g in 555.3 g
PEPPERMINT OIL (UNII: AV092KU4JH)	9.75 g in 555.3 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	113 g in 555.3 g

Product Characteristics

Color	black	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-511-06	555.3 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 6-PACK (LEMON)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-507
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	3.1 g in 560.55 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	248 g in 560.55 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	5.7 g in 560.55 g
STARCH, CORN (UNII: O8232NY3SJ)	56 g in 560.55 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	112 g in 560.55 g

MICA (UNII: V8A1AW0880)	2.1 g in 560.55 g
JOJOBA OIL (UNII: 724GKU717M)	8 g in 560.55 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.65 g in 560.55 g
LEMON OIL (UNII: I9GRO824LL)	15 g in 560.55 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	113 g in 560.55 g

Product Characteristics

Color	yellow	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-507-06	206.01 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 2-PACK (PEPPERMINT)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-505
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	1.1 g in 186.16 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	82 g in 186.16 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	1.9 g in 186.16 g
STARCH, CORN (UNII: O8232NY3SJ)	18.7 g in 186.16 g

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	38 g in 186.16 g
MICA (UNII: V8A1AW0880)	0.7 g in 186.16 g
JOJOBA OIL (UNII: 724GKU717M)	2.7 g in 186.16 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.21 g in 186.16 g
PEPPERMINT OIL (UNII: AV092KU4JH)	3.25 g in 186.16 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	37.6 g in 186.16 g

Product Characteristics

Color	black	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-505-02	186.16 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

BATH BOMB 6-PACK (EUCALYPTUS)

allantoin tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82876-512
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	3.1 g in 555.3 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	248 g in 555.3 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	5.7 g in 555.3 g

STARCH, CORN (UNII: O8232NY3SJ)	56 g in 555.3 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	112 g in 555.3 g
MICA (UNII: V8A1AW0880)	2.1 g in 555.3 g
JOJOBA OIL (UNII: 724GKU717M)	8 g in 555.3 g
CANNABIDIOL (UNII: 19GBJ60SN5)	0.65 g in 555.3 g
EUCALYPTUS OIL (UNII: 2R04ONI662)	9.75 g in 555.3 g
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	113 g in 555.3 g

Product Characteristics

Color	black	Score	score with uneven pieces
Shape	ROUND	Size	55mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82876-512-06	555.3 g in 1 BOX; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/06/2025	

Labeler - Carolina Cannabis Creations LLC (118697474)

Establishment

Name	Address	ID/FEI	Business Operations
Carolina Cannabis Creations LLC		118697474	manufacture(82876-502, 82876-501, 82876-503, 82876-504, 82876-505, 82876-506, 82876-507, 82876-508, 82876-509, 82876-510, 82876-511, 82876-512)