HAWAIIAN TROPIC- avobenzone, homosalate, octocrylene aerosol, spray Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzone 2.0%, Homosalate 7.0%, Octocrylene 5.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not puncture or incinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120°F.

May stain some fabrics and surfaces.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

• Shake Well • Hold container 4 to 6 inches from the skin to apply • spray liberally and

spread evenly by hand 15 minutes before sun exposure • **Do not spray directly into face**. Spray on hands then apply to face. • Do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Caprylyl Glycol, Fragrance, Methyl Dihydroabietate, Mineral Oil, Ascorbyl Palmitate, Tocopheryl Acetate, Panthenol, Water, Aloe Barbadensis Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Colocasia Antiquorum Root Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Plumeria Acutifolia Flower Extract, Psidium Guajava Fruit Extract.

Other Information

protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-NO UV RAY, Mon-Fri

Principal Display Panel

HAWAIIAN
TROPIC(R)
SPORT SUNSCREEN SPRAY
EVERYDAY
ACTIVE(TM)
SWEAT | WATER RESISTANT
(80 MINUTES)
30
CRUELTY FREE | VEGAN
BROAD SPECTRUM SPF 30 UVA/UVB
NET WT 6 OZ (170 g)



SPORT SUNSCREEN SPRAY

EVERYDAY ACTIVE"

SWEAT | WATER RESISTANT (80 MINUTES)



CRUELTY FREE I VEGAN BROAD SPECTRUM SPF 30 UVA/UVB

NET WT 6 OZ (170 g)

Haweilan Tropic Everyday Active³¹ sport surscreen keeps up with your active litestyle with your beauty in mind, whether you're taking an outdoor workout class, going on a hike, or catching a few waves. This lightweight, breathable formula is non-greasy, fast absorbing, and aprays clear on skin.

· Dermatologist Tested · Light Tropical Scent No Oxybenzone - Sprays on Clear

Drug Facts

Active Ingredients

Purpose

Avobenzone 2.0%, Homosalate 7.0%, Octoorylene 5.0%

Uses * helps prevent sunburn * if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Flammable: Do not puncture or incinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120°F.

When using this product * Keep away from face to avoid breathing it * Keep out of eyes. Rinse with water to remove.

Stop ase and ask a doctor if rash occurs

Keep out of reach of shildren. If product is swellowed, get medical help or contact a Poison Control Center right away, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions • Shake Well • Hold container 4 to 6 inches from the skin to apply • sprry liberally and spread evenly by hand 15 minutes before sun exposure • Do not sprey directly into lace. Spray on hands then apply to face. • Do not apply in windy conditions • use in well-ventilated area • resply; • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. Sun Protocion Manauses, Spending time in the sun increases your risk of skin center and early skin aging, To decrease this risk, regularly use a sunscreen with a broad spectrum SFF of 15 or higher and other sun protocion measures including: I limit time in the sun, aspecially from 10 am. - 2 p.m. • wear long-sleeved shirts, pents, hets, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients: Alechol Deach, loobutane, loododecane, Disopropyl Adjecte, Louryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyenyl-3 Steersterloosteerstel Dimethicone, Polyglyenyl-3 Steersterloosteerstel Dimethicone, Polyglyenyl-3 Steersterloosteerstel Dimethicone, Polyglyenyl-3 Steersterloosteerstel Dimethicone, Brisner Dil, Rascodyl Pamirist, Tocophenyl-Acetate, Parthenol, Water, Aloe Berbadensie Leaf Extract, Carice Papeye (Papaye) Fruit Extract, Colosses Antiquorum Rock Extract, Mengrifere India Mangal Fruit Extract, Pasidium Guajava Fruit Extract, Pasidium Guajava Fruit Extract, Pasidium Guajava Fruit Extract,

Other Information * protect this product from excessive heat and direct sun Questions or Comments? Call 1-800-NO UV RAY, Mon-Fri

www.hawaiiantropic.com

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC

Shelton, CT 06484 @ 2022 Edgewell



93037986







BONUS

33% MORE

HAWAIIAN TROPIC(R) SPORT SUNSCREEN SPRAY **EVERYDAY** ACTIVE(TM) SWEAT | WATER RESISTANT (80 MINUTES)



SPORT SUNSCREEN SPRAY

EVERYDAY ACTIVE"

SWEAT | WATER RESISTANT (80 MINUTES)





NET WT 8 0Z (226 g)

Drug Facts

Active Ingredients
Avobenzone 2.0%, Homosalate 7.0%, Octobrylene 5.0%.

Uses • helps prevent surbum • if used as directed with other sun protection measures (see Directions), decreases the risk of alin cancer and early skin aging caused by the sun

Warnings For external use only

Fibrumable: Do not puncture or indinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep sway from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120 °F.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away, Intentional misuse by deliberately concentrating and inhalling the contents can be harmful or fatal.

Directions • Shake Well • Hold container 4 to 6 inches from the skin to apply
• apray liberally and spread evenly by hand 16 minutes before son exposure
• Do not apply windy conditions use in well-ventilated area reapply • after 30 minutes
• Do not apply in windy conditions use in well-ventilated area reapply • after 30 minutes
of swimming or sweating • immediately after towed drying • at least every 2 hours
• Sun Protection Measures. Spending time in the sun increases your risk of skin
cancer and early doin aging, To decrease this risk, regularly use a surseries in with a
broad spectrum SPF of 15 or higher and other sun protection measures including
• limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-leeved shirts,
parits, hats, and sunglasses • children under 6 months: Asks adoctor

Inactive Ingredients Alcohol Denat, Isobutane, Isododecane, Disopropyl Adapte, Lauryl PES-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglycaryl-3 Stearatelsociezarate/Dimer Diinoleate Crosspolymer, Capryllo Slyco, Hargarese, Methyl Ditydrochistette, Minaral Of, Ascorbyl Palmate, Ecopheyl Acatate, Parilheno, Water, Alce Barbadenias Leef Estract, Carica Papeya (Papaya) Fruit Estract, Colocasia Antiguorum Root Estract, Margineria Indica (Mangol Fruit Estract, Residina Incamata Fruit Estract, Plumeria Acutifotia Flower Estract, Pedium Guajava Fruit Estract,

Other Information - protect this product from excessive hest and direct sun

Questions or Comments? Call 1-900-NO UV R.AV, Mon-Fri

www.hawailantropic.com Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC

Shelton, CT 06484 © 2022 Edgewell



DOT 20 MS655







HAWAIIAN TROPIC

avobenzone, homosalate, octocrylene aerosol, spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-299
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	7 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
PAPAYA (UNII: KU94FIY6JB)	
ALCOHOL (UNII: 3K9958V90M)	
COLOCASIA ESCULENTA ROOT (UNII: H7B71Q0G0D)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ISODODECANE (UNII: A8289P68Y2)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
WATER (UNII: 059QF0KO0R)	
PASSIFLORA INCARNATA FRUIT (UNII: SF20618G4P)	
PLUMERIA RUBRA FLOWER (UNII: 8P7XXY759H)	
ISOBUTANE (UNII: BXR49TP611)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PANTHENOL (UNII: W/9CM0067Z)	
MINERAL OIL (UNII: T5L8T28FGP)	
MANGO (UNII: 162913NR86)	
GUAVA (UNII: 74070D6VG0)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-299- 34	170 g in 1 CAN; Type 0: Not a Combination Product	10/31/2023	
2	NDC:63354-299- 36	226 g in 1 CAN; Type 0: Not a Combination Product	10/31/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/31/2023	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Establishment

Na me	Address	ID/FEI	Business Operations
Playtex Manufacturing Inc. (Ormond Beach)		963501502	manufacture(63354-299)

Revised: 10/2023 Edgewell Personal Care Brands LLC