

HAWAIIAN TROPIC- avobenzone,homosalate,octocrylene aerosol, spray
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzone 2.0%, Homosalate 7.0%, Octocrylene 5.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not puncture or incinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120°F.

May stain some fabrics and surfaces.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

• Shake Well • Hold container 4 to 6 inches from the skin to apply • spray liberally and

spread evenly by hand 15 minutes before sun exposure • **Do not spray directly into face.** Spray on hands then apply to face. • Do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Caprylyl Glycol, Fragrance, Methyl Dihydroabietate, Mineral Oil, Ascorbyl Palmitate, Tocopheryl Acetate, Panthenol, Water, Aloe Barbadensis Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Colocasia Antiquorum Root Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Plumeria Acutifolia Flower Extract, Psidium Guajava Fruit Extract.

Other Information

- protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-NO UV RAY, Mon-Fri

Principal Display Panel

HAWAIIAN
TROPIC(R)
SPORT SUNSCREEN SPRAY
EVERYDAY
ACTIVE(TM)
SWEAT | WATER RESISTANT
(80 MINUTES)
30
DERM TESTED | VEGAN
BROAD SPECTRUM SPF 30 UVA/UVB
NET WT 6 OZ (170 g)


HAWAIIAN TROPIC®

SPORT SUNSCREEN SPRAY

EVERYDAY ACTIVE™

SWEAT | WATER RESISTANT
(80 MINUTES)

30



DERM TESTED | VEGAN
BROAD SPECTRUM SPF 30 UVA/UVB

NET WT 6 OZ (170 g)

An ultralight, high performance clear spray with broad spectrum SPF 30 and our iconic tropical scent. Hawaiian Tropic® Everyday Active™ spray is breathable, fast absorbing, and keeps skin protected while you enjoy active moments in the sun.

• No Oxybenzone

| Drug Facts | |
|---|----------------|
| Active Ingredients | Purpose |
| Avobenzene 2.0%, Homosalate 7.0%, Octocrylene 5.0% | Sunscreen |
| Uses • helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun | |
| Warnings For external use only | |
| Flammable: Do not puncture or incinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120°F. | |
| Do not use • on damaged or broken skin. | |
| When using this product • Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. | |
| Stop use and ask a doctor if • rash occurs | |
| May stain some fabrics and surfaces. | |
| Directions • Shake Well • Hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • Do not spray directly into face. Spray on hands then apply to face. • Do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor | |
| Other Information • protect the product in this container from excessive heat and direct sun | |
| Inactive Ingredients Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Copolymer, Caprylyl Glycol, Fragrance, Methyl Dihydroabietate, Mineral Oil, Ascorbyl Palmitate, Tocopheryl Acetate, Permethol, Water, Aloe Barbadensis Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Colocasia Antiquorum Root Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Plumeria Acutifolia Flower Extract, Puidum Guajava Fruit Extract. | |
| Questions or Comments? Call 1-800-NO UV RAY, Mon-Fri | |

www.hawaiiantropic.com


Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
© 2025 Edgewell



DOT 20 M5655
93047283



*Not recycled in all communities



BONUS

33% MORE

HAWAIIAN
TROPIC(R)

SPORT SUNSCREEN SPRAY

EVERYDAY
ACTIVE(TM)

SWEAT | WATER RESISTANT
(80 MINUTES)

30
 CRUELTY FREE | VEGAN
 BROAD SPECTRUM SPF 30 UVA/UVB
 NET WT 8 OZ (226 g)

**BONUS
33% MORE**


**HAWAIIAN
TROPIC®**

SPORT SUNSCREEN SPRAY

**EVERYDAY
ACTIVE™**

SWEAT | WATER RESISTANT
(80 MINUTES)

30




CRUELTY FREE | VEGAN
BROAD SPECTRUM SPF 30 UVA/UVB
NET WT 8 OZ (226 g)

Hawaiian Tropic Everyday Active™ sport sunscreen keeps up with your active lifestyle with your beauty in mind, whether you're taking an outdoor workout class, going on a hike, or catching a few waves. This lightweight, breathable formula is non-greasy, fast absorbing, and sprays clear on skin.
 • Dermatologist Tested • Light Tropical Scent
 No Oxybenzone • Sprays on Clear

| Drug Facts | |
|---|-----------------------------|
| Active Ingredients Avobenzone 2.0%, Homosalate 20%, Octocrylene 5.0% | Purpose Sunscreen |
| Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun | |
| Warnings For external use only | |
| Flammable: Do not puncture or incinerate. Contents under pressure. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Do not expose to heat or store at temperatures above 120°F. | |
| Do not use on damaged or broken skin. | |
| When using this product • Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. | |
| Stop use and ask a doctor if rash occurs | |
| Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. | |
| May stain some fabrics and surfaces. | |
| Directions • Shake Well • Hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • Do not spray directly into face. Spray on hands then apply to face. • Do not apply in windy conditions • use in well-ventilated area • reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor | |
| Inactive Ingredients Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-9 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isococostearate/Dimer Dilinoleate Crosspolymer, Caprylyl Glycol, Fragrance, Methyl Dihydroxyacetate, Mineral Oil, Ascorbyl Palmitate, Tocopheryl Acetate, Panthenol, Water, Aloe Barbadensis Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Colocasia Antiquorum Root Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Plumeria Acutifolia Flower Extract, Psidium Guajava Fruit Extract. | |
| Other Information • protect this product from excessive heat and direct sun | |
| Questions or Comments? Call 1-800-NO UV/RAY, Mon-Fri | |

www.hawaiiantropic.com
 Distributed by:
 EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 © 2022 Edgewell



HAWAIIAN TROPIC
 avobenzone,homosalate,octocrylene aerosol, spray

| Product Information | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63354-299 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 7 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM) | OCTOCRYLENE | 5 g in 100 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| PANTHENOL (UNII: WW9CM0O67Z) | |
| MINERAL OIL (UNII: T5L8T28FGP) | |
| MANGO (UNII: I629I3NR86) | |
| GUAVA (UNII: 74O70D6VG0) | |
| LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| DIISOPROPYL ADIPATE (UNII: P7E6YFV72X) | |
| PAPAYA (UNII: KU94FIY6JB) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| COLOCASIA ESCULENTA ROOT (UNII: H7B71Q0G0D) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ASCORBYL PALMITATE (UNII: QN83US2B0N) | |
| WATER (UNII: 059QF0KO0R) | |
| PASSIFLORA INCARNATA FRUIT (UNII: SF206I8G4P) | |
| PLUMERIA RUBRA FLOWER (UNII: 8P7XXY759H) | |
| ISOBUTANE (UNII: BXR49TP611) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:63354-299-34 | 170 g in 1 CAN; Type 0: Not a Combination Product | 10/31/2023 | |
| 2 | NDC:63354-299-36 | 226 g in 1 CAN; Type 0: Not a Combination Product | 10/31/2023 | 10/01/2026 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M020 | 10/31/2023 | |

Labeler - Edgewell Personal Care Brands LLC (151179769)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|---|----------------|---------------|----------------------------|
| Playtex Manufacturing Inc. (Ormond Beach) | | 963501502 | manufacture(63354-299) |

Revised: 12/2025

Edgewell Personal Care Brands LLC