

**ACETAMINOPHEN- acetaminophen tablet**  
**PUBLIX SUPERMARKETS, INC**

-----  
**Extra strength**  
**Pain Relief**

- **Pain reliever/fever reducer**
  - **For adults**
  - **Contains no aspirin**
- ACETAMINOPHEN, 500 mg**

**Active ingredient (in each caplet)**

Acetaminophen USP, 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

## **Ask a doctor before use if you have**

liver disease

## **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

## **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition

## **If pregnant or breast-feeding,**

ask a health professional before use

## **Keep out of reach of children**

Keep out of reach of children

## **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

### **■ do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

### **Other information**

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature.
- see end panel for lot number and expiration date

### **Inactive ingredients**

hydroxypropyl methyl cellulose, polyethylene glycol, povidone k-30, pregelatinized starch, sodium starch glycolate, stearic acid

### **Questions or comments?**

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

### **Principal display panel**



READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAPS IS BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each caplet)** **Purpose**  
Acetaminophen USP 500 mg Pain reliever/fever reducer

**Uses**

- Temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:
  - more than 4,000 mg of acetaminophen in 24 hours
  - with other drugs containing acetaminophen
  - 3 or more alcoholic drinks every day while using this product
- May alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin redness
  - hives
  - itch
- If a skin reaction occurs, stop use and seek medical help right away

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.



# Extra Strength Pain Relief

ACETAMINOPHEN, 500 mg

- Pain reliever/fever reducer
- For adults
- Contains no aspirin

# Extra Strength Pain Relief

ACETAMINOPHEN, 500 mg

- Pain reliever/fever reducer
- For adults
- Contains no aspirin

**250 Caplets\***  
Capulet-shaped tablets

Compare to the active ingredient in Extra Strength Tylenol® Caplets\*



ACTUAL SIZE



Publix.

LOT 43

# Extra Strength Pain Relief

ACETAMINOPHEN, 500 mg

- Pain reliever/fever reducer
- For adults
- Contains no aspirin

**250 Caplets\***  
Capulet-shaped tablets

Compare to the active ingredient in Extra Strength Tylenol® Caplets\*



ACTUAL SIZE

NDC 41415-17-25

**Drug Facts (continued)**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-272-2222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- Do not take more than directed (see overdose warning)
- adults and children 12 years and over:
  - take 2 caplets every 6 hours with symptoms last
  - do not take more than 6 caplets in 24 hours, unless directed by a doctor
  - do not use for more than 10 days unless directed by a doctor
- children under 12 years:
  - ask a doctor

**Other information**

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature.
- use and past for lot number and expiration date

**Inactive ingredients**

hydroxypropyl methylcellulose, hydroxypropyl starch, croscarmellose sodium, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

\*This product is not manufactured or distributed by GenCorp Inc., owner of the registered trademark Extra Strength Tylenol® Caplets.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC., 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 1-888-267-4827 [publix.com](http://publix.com) PUBLIX GUARANTEES COMPLETE SATISFACTION OR YOUR MONEY BACK



COATING  
FREE AREA

200000004992  
700000003731

READ AND KEEP CARTON FOR COMPLETE WARNINGS  
AND INFORMATION

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Drug Facts**

**Active ingredient (in each caplet) Purpose**  
Acetaminophen USP, 500 mg..... Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
  - more than 4,000 mg of acetaminophen in 24 hours
  - with other drugs containing acetaminophen
  - 3 or more alcoholic drinks every day while using this product
- Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - hives
  - rash
 If a skin reaction occurs, stop use and seek medical help right away.
- Do not use**
  - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
  - if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease**  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

- Stop use and ask a doctor if**
    - pain gets worse or lasts more than 10 days
    - fever gets worse or lasts more than 3 days
    - new symptoms occur
    - redness or swelling is present
- These could be signs of a serious condition

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use  
**Keep out of reach of children**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and over
  - take 2 caplets every 6 hours while symptoms last
  - do not take more than 6 caplets in 24 hours, unless directed by a doctor
  - do not use for more than 10 days unless directed by a doctor
- children under 12 years
  - ask a doctor

**Other information**

- store between 20°-25° C (68°-77° F). See USP Controlled Room Temperature.
- see end panel for lot number and expiration date

**Inactive ingredients**

hydroxypropyl methyl cellulose, polyethylene glycol, povidone K-30, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST  
\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Extra Strength Tylenol® Caplets.

DISTRIBUTED BY  
PUBLIX SUPER MARKETS, INC.,  
3300 PUBLIX CORPORATE PARKWAY,  
LAKELAND, FL 33811  
1-888-267-3037 [publix.com](http://publix.com)  
PUBLIX GUARANTEE: COMPLETE  
SATISFACTION OR YOUR MONEY BACK



**Extra Strength  
Pain Relief**  
ACETAMINOPHEN, 500 mg  
• Pain reliever/fever reducer  
• For adults  
• Contains no aspirin

**Extra Strength  
Pain Relief**  
ACETAMINOPHEN, 500 mg  
**100 Caplets!**  
Capulet-shaped tablets

ACTUAL SIZE  
Compare to the active ingredient in Extra Strength Tylenol® Caplets\*



**Publix.**

Lot

COATING  
FREE AREA

**Extra Strength  
Pain Relief**  
ACETAMINOPHEN, 500 mg  
**100 Caplets!**  
Capulet-shaped tablets

ACTUAL SIZE  
Compare to the active ingredient in Extra Strength Tylenol® Caplets\*



NDC 41415-177-10

NDC 41415-177-10

COATING  
FREE AREA



## ACETAMINOPHEN

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41415-177
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3S)	

<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G;551
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41415-177-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/02/2024	
2	NDC:41415-177-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/02/2024	
3	NDC:41415-177-25	250 in 1 BOTTLE; Type 0: Not a Combination Product	08/02/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/02/2024	

**Labeler** - PUBLIX SUPERMARKETS, INC (006922009)

Revised: 12/2025

PUBLIX SUPERMARKETS, INC