

**VONAFLEX EFFECTIVE PAIN RELIEF TOPICAL ANALGESIC- lidocaine
hydrochloride cream
OPTIMAL LABORATORIES, LLC**

VonaFlex+ Effective Pain Relief Topical Analgesic

Drug Facts

Active ingredients

Lidocaine hydrochloride 4%

Purpose

Topical Analgesic

Uses:

- For temporary relief of pain

Warnings:

For external use only

Do not use

- in large quantities, particularly over raw surfaces or blistered areas

When using this product

- Avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding,

ask a health professional before use.

Directions:

- Adults and children 2 years of age and older: Apply a thin layer to the affected area and massage until the lotion is no longer visible, up to three times a day.
- Children under 2 years of age: consult a doctor.

Other information:

- Store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients:

Arnica Montana Extract, Caramel, Carbomer, Cetearyl Alcohol, Cetyl Esters, Disodium EDTA, Ethoxydiglycol, Ethyl Macadamiate, Ethylhexylglycerin, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Lavandula Angustifolia (Lavender) Flower Oil, Menthyl Lactate, PEG-40 Hydrogenated Castor Oil, Phenoxyethanol, Propylene Glycol, Scutellaria Baicalensis Root Extract, Tetrahydrodiferuloylmethane, Tocopheryl Acetate, Triethanolamine, Water (Aqua)

Package Labeling:

Drug Facts	Drug Facts (continued)	STAY ACTIVE		PLUS VONAFLEX+	
Active ingredients Lidocaine hydrochloride 4%	Other information: ■ Store at 20-25°C (68-77°F) and protect from moisture	Lidocaine HCl 4%			
Purpose Topical Analgesic	Inactive ingredients: Arnica Montana Extract, Caramel, Carbomer, Cetearyl Alcohol, Cetyl Esters, Disodium EDTA, Ethoxydiglycol, Ethyl Macadamiate, Ethylhexylglycerin, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Lavandula Angustifolia (Lavender) Flower Oil, Menthyl Lactate, PEG-40 Hydrogenated Castor Oil, Phenoxyethanol, Propylene Glycol, Scutellaria Baicalensis Root Extract, Tetrahydrodiferuloylmethane, Tocopheryl Acetate, Triethanolamine, Water (Aqua)	Topical Analgesic		EFFECTIVE PAIN RELIEF	
Uses: ■ For temporary relief of pain.		With Arnica White Curcumin Baicalin Menthyl Lactate Extract		Lidocaine HCl 4%	
Warnings: For external use only		Vonaflex Plus™ is a physician formulated topical analgesic recommended by:		Topical Analgesic	
Do not use ■ in large quantities, particularly over raw surfaces or blistered areas.		■ Sports medical professionals ■ Orthopedic surgeons ■ Chiropractors ■ Physical therapists ■ Pharmacists		With Arnica White Curcumin Baicalin Menthyl Lactate Extract	
When using this product ■ Avoid contact with the eyes		 PLUS VONAFLEX+		OPITMAL LABORATORIES	
Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.				■ Physician Formulated ■ Targeted Pain Relief ■ Non-Greasy	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use.				TOPICAL LOTION 1.69 fl. oz. (50 mL)	
Directions: ■ Adults and children 2 years of age and older: Apply a thin layer to the affected area and massage until the lotion is no longer visible, up to three times a day. ■ Children under 2 years of age: consult a doctor.	Manufactured for: Optimal Laboratories New York, NY 10028 optimallaboratories.com	STAY ACTIVE			
(continued) →	 Optimal Laboratories Science for Better Living				

STAY ACTIVE

Uses:

- For temporary relief of pain.

Directions:

- Adults and children 2 years of age and older: Apply a thin layer to the affected area and massage until the lotion is no longer visible, up to three times a day.
- Children under 2 years of age: consult a doctor.

Manufactured for:
Optimal Laboratories
New York, NY 10028
optimallaboratories.com



OPTIMAL LABORATORIES

PLUS
VONAFLEX+



**EFFECTIVE
PAIN RELIEF**

**Lidocaine HCl 4%
Topical Analgesic**

- Targeted Pain Relief
- Physician Formulated

**TOPICAL LOTION
1.69 fl. oz. (50 mL)**

VONAFLEX EFFECTIVE PAIN RELIEF TOPICAL ANALGESIC

lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87359-987
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ARNICA MONTANA WHOLE (UNII: O80TY208ZW)	

CARMEL (UNII: T9D99G2B1R)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
ETHYL MACADAMATE (UNII: ANA2NCS6V1)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
TETRAHYDRODIFERULOYLMETHANE (UNII: 00U0645U03)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87359-987-00	1 in 1 BOX	12/23/2025	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/23/2025	

Labeler - OPTIMAL LABORATORIES, LLC (107335682)

Registrant - Pure Source, LLC (080354456)