

STIMULANT LAXATIVE- sennosides tablet, sugar coated
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED

CVS 44-347

Active ingredient (in each tablet)

Sennosides USP, 15 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- for a period longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to 12 years under	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

NDC 51316-734-01

♥CVS™

actual size

Regular Strength

STIMULANT LAXATIVE

Sennosides USP, 15 mg

Gentle Relief

30

TABLETS

**Compare to ex•lax[®]
Regular Strength
active ingredient***

OVERNIGHT

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

50844 ORG082434701

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895


© 2026 CVS/pharmacy

CVS.com[®]

1-800-SHOP CVS

V-14236

*This product is not manufactured or distributed by Haleon CH SARL, owner of the registered trademark ex•lax[®] Regular Strength.



STIMULANT LAXATIVE

CVS 44-347

NDC 51316-734-01



actual size

**Regular Strength
STIMULANT LAXATIVE**

Sennosides USP, 15 mg
Gentle Relief

**30
TABLETS**

Compare to ex·lax®
Regular Strength
active ingredient*

OVERNIGHT

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient

(in each tablet)

Sennosides USP, 15 mg.....Stimulant laxative

Purpose

- relieves occasional constipation (irregularly)
- generally produces bowel movement in 6 to 12 hours

Drug Facts (continued)

Drug Facts (continued)

Warnings

- Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- for a period longer than 1 week unless directed by a doctor
- Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.
- Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work.
- Take this product 2 or more hours before or after other drugs.
- Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information

- each tablet contains: calcium 40 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

dibasic calcium phosphate dihydrate, iron oxide black, acetate, calcium carbonate, camphor wax, corn starch,

Drug Facts (continued)

iron oxide red, iron oxide yellow, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, sheilac glaze, silicon dioxide, sodium

Drug Facts (continued)

benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

This product is not manufactured or distributed by Healeen CH SAHL, owner of the registered trademark ex·lax® Regular Strength.

50844 0R002434701
Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2026 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
V-14236

#246149

FPO 80%
UPC# 050428031865

X XXXXXX XXXXXX X

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

no print no varnish area
lot no. & exp. date

B-0231-347-01-J
0R002434701

sennosides tablet, sugar coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-734
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	15 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	brown (Tan)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	44;347
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-734-01	2 in 1 CARTON	05/08/2026	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/08/2026	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(51316-734)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(51316-734) , pack(51316-734)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(51316-734)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(51316-734)

Revised: 5/2026

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED