#### NUMB MASTER- lidocaine cream Clinical Resolution Laboratory, Inc.

-----

**Numb Master** 

## DRUG FACTS

#### **Active Ingredient**

Lidocaine 5%

#### Purpose

Local Anesthetic

#### Uses:

for the temporary relief of local and anorectal discomfort associated with anorectal disorders or inflammation.

### Warnings

(For external use only)

### Do not use

this product if

- pregnant or breastfeeding, ask a health professional before use.
- in case of accidental overdose, get medical help or contact the Poison Control Center immediately.
- tamper evident "Do not use this product" if seal is broken or missing.

### When using this product

- do not exceed the recommended daily dosage unless directed by a doctor.
- certain persons can develop allergic reactions to ingredients in this product.
- do not put this product into the rectum by using finger or any medical device or applicator.

### Stop use and ask a doctor if

the symptom being treated does not subside, or if redness, irritation, swelling, pain, or other symptoms develop or increase.

### Keep out of reach of children

In case of accidental ingestion, seek medical attention immediately.

# Directions

- *Adults:* When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth, before application of this product.
- Apply up to 6 times a day.
- Children under 12 years of age: consult a doctor.

### **Other Information**

- keep away from direct sunlight or heat.
- store in room temperature (59-86°F/15-30°C)

#### Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopentyl Glycol Dicaprylate/Dicaprate, Propylene Glycol, Water, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine

### Package Labeling 35.43g:



### Package Labeling 119:

DRUG FACTS (Continued)	Doctor Recommended	DRUG FACTS
Directions		Active Ingredient Purpose Lidocaine 5%Local Anestheti
<ul> <li>Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Children under 12 years of age: consult a doctor.</li> <li>Apply externally to the affected area up to 6 times daily.</li> </ul>	NUMB MASTER	Uses For the temporary relief of local and anorectal itching and discomfort associated with anorectal disorders and anorectal inflammation. For the temporary relief of pain, burning and soreness.
Other Information		Warnings (For external use only)
<ul> <li>Keep away from direct sunlight or heat.</li> <li>Store at room temperature 15°-30°C (59°-86°F).</li> <li>This package is child-resistant. Keep out of reach</li> </ul>	10	If condition worsens or does not improve within 7 days, consult a doctor.
of children. ■ In case of accidental overdose or ingestion, call a		Do not exceed the recommended daily dosage unless directed by a doctor.
doctor or poison control center immediately. ■ Do not use this product if seal is broken or missing.		<ul> <li>In case of bleeding, consult a doctor promptly.</li> <li>Do not put this product into the rectum by using fingers of</li> </ul>
Inactive Ingredients Allantoin, Aloe Barbadensis Leaf Juice, Benzyl Alcohol, Carbomer, Cholesterol, Dimethyl Isosorbide, Disodium EDTA, Hydrogenated Polydecene, Lecithin, Neopentyl Glycol Dicaprylate/Dicaprate, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate, Trideceth-6, Triethanolamine, Water	5% LIDOCAINE CHILD-RESISTANT PACKAGING Topical Anorectal Cream 4.2 oz e 119g	<ul> <li>any mechanical device or applicator.</li> <li>Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.</li> </ul>

docaine cream <b>Product Information</b> Product Type Route of Administration	HUMAN OTC DRUG TOPICAL	ltem Cod	e (Source)	NDC:63742-032
Product Type Route of Administration	TOPICAL	ltem Cod	e (Source)	NDC:63742-032
Product Type Route of Administration	TOPICAL	ltem Cod	e (Source)	NDC:63742-032
Route of Administration	TOPICAL	ltem Cod	e (Source)	NDC:63742-032
	Moiety			
	Moiety			
Activo Indrodiont/Active	molecy			
Active Ingredient/Active Moiety				
	lient Name		Basis of Streng	-
LIDOCAINE (UNII: 98PI200987) (L	DOCAINE - UNII:98PI200987)		LIDOCAINE	50 mg in 1 g
Inactive Ingredients				
	Ingredient Name			Strength
ALLANTOIN (UNII: 344S277G0Z)				
ALOE VERA LEAF (UNII: ZY81Z83	3H0X)			
BENZYL ALCOHOL (UNII: LKG849	94WBH)			
CARBOMER HOMOPOLYMER, U	NSPECIFIED TYPE (UNII: 0A	5MM307FC)		
CHOLESTEROL (UNII: 97C5T2UQ	7J)			
DIMETHYL ISOSORBIDE (UNII: S	A6A6V432S)			
EDETATE DISODIUM ANHYDRO	US (UNII: 8NLQ36F6MM)			
NEOPENTYL GLYCOL DICAPRYL	ATE/DICAPRATE (UNII: VLW	429K27K)		
PROPYLENE GLYCOL (UNII: 6DC	9Q167V3)			
WATER (UNII: 059QF0KO0R)				
ALPHATOCOPHEROL ACETAT	E (UNII: 9E8X80D2L0)			
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H00	2)			
<b>TROLAMINE</b> (UNII: 903K93S3TK)				
Packaging				
	akago Description	ĸ	Aarketing Start	Marketing End

#	item code	Раскаде резсприон	Date	Date			
1	NDC:63742-032- 01	1 in 1 BOX	11/01/2021				
1		35.43 g in 1 BOTTLE; Type 0: Not a Combination Product					
2	NDC:63742-032- 02	1 in 1 BOX	11/01/2021				
2		119 g in 1 BOTTLE; Type 0: Not a Combination Product					
Marketing Information							
	Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	Category	Citation	Dutt	Date			

Labeler - Clinical Resolution Laboratory, Inc. (825047942)

Revised: 5/2025

Clinical Resolution Laboratory, Inc.