

**EARWAX REMOVAL AID- earwax removal aid liquid**  
**McKesson**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Earwax Removal Aid**

**Active ingredient(s)**

Carbamide Peroxide 6.5%

**Purpose**

Earwax Removal Aid

**Use(s)**

For occasional use to soften, loosen and remove excessive earwax.

**Warnings**

**Warning**

For External Use Only

**Do not use**

- In the eye
- for more than 4 days

**Ask a doctor before use if you have**

- ear drainage or discharge
- pain, irritation or rash in the ear
- had ear surgery
- an injury or perforation (hole) in the ear drum

**Stop use and ask a doctor if**

**Stop use and ask a doctor if** excessive earwax remains after use

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

FOR USE IN THE EAR ONLY

Adults and children 12 years of age: tilt head sideways and place 5 to 10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head tilted, or placing cotton in the ear. Use twice daily for up to 4 days, if needed, or as directed by a doctor. Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe. Children under 12 years of age, consult a doctor.

## Other information

Do not use if imprinted seal on cap is broken or missing.

## Storage

- Store at controlled room temperature 15 to 30C (59 to 86F)
- KEEP IN A DRY PLACE

## Principal Display Panel

Principle display panel:



Earwax removal aid box

## Inactive Ingredients

anhydrous Glycerin

## EARWAX REMOVAL AID

earwax removal aid liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:620 11-0 167(NDC:49 794-003)

**Route of Administration** AURICULAR (OTIC)

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (CARBAMIDE PEROXIDE - UNII:31PZ2VAU81)	CARBAMIDE PEROXIDE	6.5 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	120.0 mg in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0167-1	15 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part344	02/06/2012	

**Labeler** - McKesson (177667227)

**Registrant** - Continental Manufacturing Chemist, Inc. (005278007)

Revised: 5/2012

McKesson