

CHILDRENS ALLERGY RELIEF- cetirizine hcl solution
Rite Aid Corporation

Rite Aid Corporation Children's Allergy Relief Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened, or if printed neckband is broken or missing**
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to the active ingredient in Children's Zyrtec®

FREE FROM

DYE FREE

SUGAR FREE

FOR AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL

ANTIHISTAMINE

DYE FREE

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing • Runny nose

Itchy, watery eyes

Itchy throat or nose

GRAPE FLAVOR

DOSING CUP INCLUDED

8 FL OZ (240 mL)



Drug Facts

Active Ingredient (in each 5 mL)	Purpose
Cetirizine HCl 5 mg	Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ sneezing
 ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
 ■ if breast-feeding: not recommended
 ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ use only with enclosed dosing cup
 ■ find right dose on chart below
 ■ mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 ■ store between 20° to 25°C (68° to 77°F)
 ■ do not use if carton is opened, or if printed neckband is broken or missing
 ■ see bottom panel for lot number and expiration date

Drug Facts (continued)

Inactive ingredients
 anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments? 1-800-719-9260

FOR AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

Dosing cup should be washed and left to air dry after each use.

DISTRIBUTED BY:
 RITE AID
 200 NEWBERRY COMMONS
 ETTERS, PA 17319
 www.riteaid.com

SATISFACTION GUARANTEE
 If you're not satisfied, we'll happily refund your money.

OUR PROMISE:

Sugar Free Dye Free

FREE FROM DYE FREE SUGAR FREE

FOR AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

INDOOR & OUTDOOR ALLERGIES

NDC 11822-0475-0

Compare to the active ingredient in Children's Zyrtec®*

FREE FROM DYE FREE SUGAR FREE

FOR AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL ANTIHISTAMINE

DYE FREE

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF Sneezing • Runny nose Itchy, watery eyes Itchy throat or nose



0 11822 42056 3

47534 83 C3

NDC 11822-0475-0

Compare to the active ingredient in Children's Zyrtec®*

FREE FROM DYE FREE SUGAR FREE

FOR AGES 2 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL ANTIHISTAMINE

DYE FREE

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF Sneezing • Runny nose Itchy, watery eyes Itchy throat or nose



CHILDRENS ALLERGY RELIEF
 cetirizine hcl solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0475
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0475-1	1 in 1 CARTON	03/23/2016	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0475-0	1 in 1 CARTON	06/08/2022	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	03/23/2016	

Labeler - Rite Aid Corporation (014578892)