

PHYTO CHX MC ANTISEPTIC- chlorhexidine gluconate, miconazole nitrate, phytosphingosine salicyloyl shampoo

Butler Animal Health Supply, LLC dba Covetrus North America

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

PHYTO CHX+MC ANTISEPTIC SHAMPOO

Active Ingredients: Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%.

Inactive Ingredients: Water, lauramine oxide, cocamidopropyl betaine, decyl glucoside, polyacrylate-1 crosspolymer, lactic acid, acetic acid, fragrance, methylchloroisothiazolinone, methylisothiazoline, sodium hydroxide.

Properties: Phyto CHX+MC antiseptic shampoo is formulated with chlorhexidine gluconate and miconazole nitrate, antibacterial and antifungal agents for skin cleansing. This low-lather formula also contains phytosphingosine, a pro-ceramide, to help moisturize and support a healthy skin barrier.

Indications: For dogs, cats, and horses, for the management of bacterial or fungal skin infections responsive to chlorhexidine gluconate and miconazole nitrate.

Directions for Use: Use 2 to 3 times per week for 2 to 3 weeks, or as directed by your veterinarian. Shake well before use. Wet the animal with cool water from the neck down and apply shampoo first on the skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water.

Cautions: For external use only on dogs, cats, and horses. Avoid contact with the eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

Storage: Store at room temperature. Do not freeze.

Questions? (855) 724-3461

Distributed by:
Covetrus North America
400 Metro Place North
Dublin, OH 43017
www.covetrus.com

PRINCIPAL DISPLAY PANEL - 8 OUNCE (237 mL) Bottle

covetrus

11695-7234-8

PHYTO CHX+MC ANTISEPTIC SHAMPOO

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antibacterial and antifungal shampoo for dogs, cats, and horses

FOR ANIMAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

Net contents: 8 fl oz (237 mL)



NDC: 11695-7234-8

Phyto CHX+MC

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antiseptic Shampoo

Antibacterial and antifungal shampoo for dogs, cats, and horses

For animal use only
Keep out of reach of children

Net contents: 8 fl oz (237 mL)

Active ingredients: Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%.

Inactive ingredients: Water, lauramine oxide, cocamidopropyl betaine, decyl glucoside, polyacrylate-1 crosspolymer, lactic acid, acetic acid, fragrance, methylchloroisothiazolinone, methylisothiazoline, sodium hydroxide.

Properties: Phyto CHX+MC antiseptic shampoo is formulated with chlorhexidine gluconate and miconazole nitrate, antibacterial and antifungal agents for skin cleansing. This low-lather formula also contains phytosphingosine, a pro-ceramide, to help moisturize and support a healthy skin barrier.

Indications: For dogs, cats, and horses, for the management of bacterial or fungal skin infections responsive to chlorhexidine gluconate and miconazole nitrate.

Directions for use: Use 2 to 3 times per week for 2 to 3 weeks, or as directed by your veterinarian. Shake well before use. Wet the animal with cool water from the neck down and apply shampoo first on the skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water.

Cautions: For external use only on dogs, cats, and horses. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

Storage: Store at room temperature. Do not freeze.

Reorder #050238

Questions? (855) 724-3461

AH-050238-02

REV: 0919

Distributed by:
Covetrus North America
400 Metro Place North
Dublin, OH 43017
covetrus.com



F38510D-US 18-01-v2

PRINCIPAL DISPLAY PANEL - 16 OUNCE (473 mL) Bottle

covetrus

11695-7234-6

PHYTO CHX+MC ANTISEPTIC SHAMPOO

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antibacterial and antifungal shampoo for dogs, cats, and horses

FOR ANIMAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

Net contents: 16 fl oz (473 mL)



NDC: 11695-7234-6

Phyto CHX+MC

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antiseptic Shampoo

Antibacterial and antifungal shampoo for dogs, cats, and horses

For animal use only
Keep out of reach of children

Net contents: 16 fl oz (473 mL)

Active ingredients: Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%.

Inactive ingredients: Water, lauramine oxide, cocamidopropyl betaine, decyl glucoside, polyacrylate-1 crosspolymer, lactic acid, acetic acid, fragrance, methylchloroisothiazolinone, methylisothiazoline, sodium hydroxide.

Properties: Phyto CHX+MC antiseptic shampoo is formulated with chlorhexidine gluconate and miconazole nitrate, antibacterial and antifungal agents for skin cleansing. This low-lather formula also contains phytosphingosine, a pro-ceramide, to help moisturize and support a healthy skin barrier.

Indications: For dogs, cats, and horses, for the management of bacterial or fungal skin infections responsive to chlorhexidine gluconate and miconazole nitrate.

Directions for use: Use 2 to 3 times per week for 2 to 3 weeks, or as directed by your veterinarian. Shake well before use. Wet the animal with cool water from the neck down and apply shampoo first on the skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water.

Cautions: For external use only on dogs, cats, and horses. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

Storage: Store at room temperature. Do not freeze.

Reorder #050239

Questions? (855) 724-3461

AH-050239-02

REV: 0919

Distributed by:
Covetrus North America
400 Metro Place North
Dublin, OH 43017
covetrus.com



F38530D-IJS 18-P1-v2

PRINCIPAL DISPLAY PANEL - 1 Gallon (3785 mL) Jug

covetrus

11695-7234-1

PHYTO CHX+MC ANTISEPTIC SHAMPOO

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antibacterial and antifungal shampoo for dogs, cats, and horses

FOR ANIMAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

Net contents: 1 gallon (3.785 L)

NDC: 11695-7234-1

Phyto CHX+MC

Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%

Antiseptic Shampoo

Antibacterial and antifungal shampoo for dogs, cats, and horses

For animal use only
Keep out of reach of children

Net contents: 1 gallon (3.785 L)

Active ingredients: Chlorhexidine gluconate 2%, miconazole nitrate 2%, phytosphingosine salicyloyl 0.05%.

Inactive ingredients: Water, lauramine oxide, cocamidopropyl betaine, decyl glucoside, polyacrylate-1 crosspolymer, lactic acid, acetic acid, fragrance, methylchloroisothiazolinone, methylisothiazoline, sodium hydroxide.

Properties: Phyto CHX+MC antiseptic shampoo is formulated with chlorhexidine gluconate and miconazole nitrate, antibacterial and antifungal agents for skin cleansing. This low-lather formula contains phytosphingosine, a pro-ceramide, to help moisturize and support a healthy skin barrier.

Indications: For dogs, cats, and horses, for the management of bacterial or fungal skin infections responsive to chlorhexidine gluconate and miconazole nitrate.

Directions for use: Use 2 to 3 times per week for 2 to 3 weeks, or as directed by your veterinarian. Shake well before use. Wet the animal with cool water from the neck down and apply shampoo first on the skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water.

Cautions: For external use only on dogs, cats, and horses. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

Storage: Store at room temperature. Do not freeze.

Reorder #050240

Questions? (855) 724-3461

AH-050240-02

Rev: 0919

Distributed by:
Covetrus North America
400 Metro Place North
Dublin, OH 43017
covetrus.com



F34S20D-US 18-Q1-v2

PHYTO CHX MC ANTISEPTIC

chlorhexidine gluconate, miconazole nitrate, phytosphingosine salicyloyl shampoo

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:11695-7234
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL
MICONAZOLE NITRATE (UNII: VW4HICYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 mL
SALICYLOYL PHYTOSPHINGOSINE (UNII: U891J4JCNH) (SALICYLOYL PHYTOSPHINGOSINE - UNII:U891J4JCNH)	SALICYLOYL PHYTOSPHINGOSINE	0.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	

DECYL GLUCOSIDE (UNII: Z17H97EA6Y)

LACTIC ACID (UNII: 33X04XA5AT)

ACETIC ACID (UNII: Q40Q9N063P)

METHYLCHLOROISOTHIAZOLINONE (UNII: DEL7T5QRPN)

METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-7234-8	237 mL in 1 BOTTLE, PLASTIC		
2	NDC:11695-7234-6	473 mL in 1 BOTTLE, PLASTIC		
3	NDC:11695-7234-1	3785 mL in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/03/2020	

Labeler - Butler Animal Health Supply, LLC dba Covetrus North America (603750329)

Registrant - Ceva Sante Animale (261126049)

Revised: 6/2020

Butler Animal Health Supply, LLC dba Covetrus North America