

**LIDOPRO PATCH (LIDOCAINE 4%, MENTHOL 1%)- lidocaine and menthol patch patch**  
**Preferred Pharmaceuticals Inc.**

-----  
**83881-402 LidoPro Patch (Lidocaine 4%, Menthol 1%)**

**Active ingredient**

Lidocaine 4%

Menthol 1%

**Purpose**

External Anesthetic

External Analgesic

**Uses**

For the temporary relief of pain.

**Warnings**

For external use only.

**Do not use**

- on the face or rashes, on wounds or damaged skin
- in the eyes, mouth, or other mucous membranes
- on genitals
- with a heating pad
- right before or after heart surgery
- any patch from a pouch that has been opened for 7 or more days
- in large quantities, particularly over raw surfaces or blistered areas
- if tamper-evident seal is torn, broken, or missing
- more than 2 patches per day unless directed by a doctor
- children under 18 years of age

**Ask a doctor before use if you have**

- allergies to topical products
- high blood pressure, heart disease, or kidney disease

**When using this product**

- Avoid contact with eyes. If eye contact occurs, rinse thoroughly with water.
- The risk of heart attack or stroke may increase if you use more than directed or for

longer than directed.

**Stop use and ask doctor if**

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**If pregnant or breast-feeding, ask a health professional before use**

Do not use during last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

If put in mouth, seek medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together.

**Directions**

Adults 18 years and older:

- clean and dry affected area
- open pouch and remove one patch
- remove protective film from patch
- apply one patch to the affected area of pain and leave in place for 8 to 12 hours

**Other information**

- Some individuals may not experience pain relief until several minutes or hours after applying the patch
- avoid storing product in direct sunlight
- protect product from excessive moisture
- store at 67-77°F (19-25°C)

**Inactive ingredients**

Carboxymethylcellulose sodium, Dihydroxyaluminum aminoacetate, Edetate sodium, Glycerin, Kaolin, Methyl parahydroxybenzoate, Partially neutralized Sodium polyacrylate, Polyacrylic acid, Polysorbate 80, Propyl parahydroxybenzoate, Propylene glycol, Sodium Polyacrylate, Tartaric acid, Titanium dioxide, water

**Questions?**

Call toll-free (800) 224-2048



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8879-1	15 mg in 1 POUCH; Type 0: Not a Combination Product	05/20/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/20/2025	

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)**Registrant** - Preferred Pharmaceuticals Inc. (791119022)**Establishment**

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-8879)

Revised: 5/2025

Preferred Pharmaceuticals Inc.