

MQUPIN LIQUID WART CORN REMOVER- liquid wart corn remover liquid
Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd

83781-005 Add 20ml 30ml

Active Ingredient

Salicylic Acid 20% w/w

Purpose

Corn and callus remover

Use

Use Corns, Calluses, Flat warts, Plantar warts, Common warts less than 5 mm. relieves pain by removing corns and calluses.

Warnings

- For external use only
- Avoid contact with the face, or healthy skin
- Flush with water immediately if it gets into your eyes
- Keep out of reach of children
- Do not use on broken skin or eye area

Do not use

On eyes area

When Using

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop Use

- If you are allergic to this product
- If symptoms persist for over 7 days or worsen, consult your physician
- If you are pregnant or breast-feeding
- You become pregnant or are planning to become pregnant while using this product.

Ask Doctor

discomfort persists, see your doctor or podiatrist.

Keep Out Of Reach Of Children

Keep Out Of Reach Of Children

Directions

- Soak the corn or warts with warm water for 5 minutes.
- Install the brush into the bottle cap, press tightly, and tighten the bottle cap.
- Dry the skin and open the lid, dip the liquid, and apply it on the wart or corn with the brush, wait for a mask to form, then apply the liquid again.
- Use cushions with hole centered over corn or callus to relieve pressure
- Use twice during day and twice at night. Use it for 2 weeks until the skin recovers its health. If corns or warts are big, it may take a longer time.

Other information

- store between 20° to 25°C (68° to 77°F)
- close tightly to prevent solidification
- store in a cool place

Questions

mqupin86@gmail.com

Inactive ingredients

Water, Propylene glycol, Ethanol, Fructus cnidii, Kuh-seng, Purslane, Rhizome of Large-headed atractylodes, Root of Dahurian angelica, Dried orange peel, Xanthan gum

PRINCIPAL DISPLAY PANEL

40*40*88mm

Other information

- Store between 20 to 25°C (68° to 77°F)
- Store tightly to prevent oxidation
- Store in a cool place

Inactive Ingredients Water, Propylene glycol, Ethanol, Fulus oxidis, Kuhl-weng, Purulane, Rhosoma of Large-headed anacardioles, Root of Dahurian angelica, Direct orange peel, Xanthan gum

IMPORTANT
CLOSE CAP TIGHTLY AFTER USE

MFD: Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd.
Made in China
QUESTIONS? Email: mqupin86@gmail.com

MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

Liquid Wart & Corn Remover

FAST ACTING



Drug Facts

Active Ingredient	Purpose
Salicylic Acid 20% w/w	Corn and callus remover

Use: Corns, Calluses, Flat warts, Plantar warts. Common warts less than 5 mm, relieves pain by removing corns and calluses.

Warnings: For external use only. Avoid contact with the face or healthy skin. Flush with water immediately if it gets into your eyes. Keep out of reach of children. Do not use on broken skin or eye area.

Do not use: On eyes area.

Stop Use: If you are allergic to this product. If symptoms persist for over 7 days or worsen, consult your physician. If you are pregnant or breast-feeding, do not become pregnant or are planning to become pregnant while using this product.

When using this product:

- Avoid contact with eyes
- Avoid inhaling vapors
- If product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if: Discomfort persists, see your doctor or podiatrist.

KEEP OUT OF REACH OF CHILDREN
Keep out of reach of children.

Directions:

- Soak the corn or warts with warm water for 5 minutes.
- Install the brush into the bottle cap, press tightly, and lightly the bottle cap.
- Try the skin and open the lid, dip the liquid, and apply it on the wart or corn with the brush, wait for a week to form, then apply the liquid again.
- Use cushions with those certified over corn or warts to relieve pressure.
- Use twice during day and twice at night. Use it for 2 weeks until the skin recovers its health. If corns or warts are big, it may take a longer time.

DATE TYPE: TM-00-YYYY

LOT:

EXP:

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

NATURAL EFFECTIVE CONVENIENT

MAXIMUM STRENGTH

15 CUSHIONS

NET WT 1.01 fl oz (20ml)



MQUPIN®

100*45mm

MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

Liquid Wart & Corn Remover

FAST ACTING



MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

NATURAL EFFECTIVE CONVENIENT

MAXIMUM STRENGTH

15 CUSHIONS

NET WT 0.68 fl oz (20ml)

Other information

- Store between 20 to 25°C (68° to 77°F)
- Store tightly to prevent oxidation
- Store in a cool place

Inactive Ingredients Water, Propylene glycol, Ethanol, Fulus oxidis, Kuhl-weng, Purulane, Rhosoma of Large-headed anacardioles, Root of Dahurian angelica, Direct orange peel, Xanthan gum

IMPORTANT
CLOSE CAP TIGHTLY AFTER USE

MFD: Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd.
Made in China
QUESTIONS? Email: mqupin86@gmail.com

MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

Liquid Wart & Corn Remover

FAST ACTING



Drug Facts

Active Ingredient	Purpose
Salicylic Acid 20% w/w	Corn and callus remover

Use: Corns, Calluses, Flat warts, Plantar warts. Common warts less than 5 mm, relieves pain by removing corns and calluses.

Warnings: For external use only. Avoid contact with the face or healthy skin. Flush with water immediately if it gets into your eyes. Keep out of reach of children. Do not use on broken skin or eye area.

Do not use: On eyes area.

Stop Use: If you are allergic to this product. If symptoms persist for over 7 days or worsen, consult your physician. If you are pregnant or breast-feeding, do not become pregnant or are planning to become pregnant while using this product.

When using this product:

- Avoid contact with eyes
- Avoid inhaling vapors
- If product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if: Discomfort persists, see your doctor or podiatrist.

KEEP OUT OF REACH OF CHILDREN
Keep out of reach of children.

Directions:

- Soak the corn or warts with warm water for 5 minutes.
- Install the brush into the bottle cap, press tightly, and lightly the bottle cap.
- Try the skin and open the lid, dip the liquid, and apply it on the wart or corn with the brush, wait for a week to form, then apply the liquid again.
- Use cushions with those certified over corn or warts to relieve pressure.
- Use twice during day and twice at night. Use it for 2 weeks until the skin recovers its health. If corns or warts are big, it may take a longer time.

DATE TYPE: TM-00-YYYY

LOT:

EXP:

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

NATURAL EFFECTIVE CONVENIENT

MAXIMUM STRENGTH

15 CUSHIONS

NET WT 0.68 fl oz (20ml)



MQUPIN®

MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

Liquid Wart & Corn Remover

FAST ACTING



MQUPIN®

Liquid Wart & Corn Remover

FAST ACTING

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

NATURAL EFFECTIVE CONVENIENT

MAXIMUM STRENGTH

15 CUSHIONS

NET WT 0.68 fl oz (20ml)



MQUPIN LIQUID WART CORN REMOVER

liquid wart corn remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83781-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	20 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ORANGE PEEL (UNII: T19T76XD44)	
WATER (UNII: 059QF0KO0R)	
CNIDIUM MONNIERI WHOLE (UNII: GYR30735RE)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALCOHOL (UNII: 3K9958V90M)	
ATRACTYLODES LANCEA ROOT (UNII: CAZ6282J2O)	
PURSLANE (UNII: M6S840WYG5)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83781-005-01	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/05/2023	
2	NDC:83781-005-02	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/05/2023	
3	NDC:83781-005-03	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/05/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	11/05/2023	

Labeler - Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd (701762807)

Establishment

Name	Address	ID/FEI	Business Operations
Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd		701762807	label(83781-005) , manufacture(83781-005)

Revised: 1/2026

Zhengzhou Miaoqi Pharmaceutical Technology Co., Ltd