VIGORWELL MEDINAIL TOENAIL FUNGUS TREATMENT SPRAY.- toenail spray liquid Shenzhen Situya Trading Co., Ltd.

Active Ingredient

CHLORHEXIDINE ACETATE 0.2%
ANHYDROVITAMIN A 2%
PROQUAZONE 2%
PYRIDOXINE 2%

Purpose

Protectant, Vasoconstrictor

Use

Shake well before use.

Cleanse and dry your nails and feet thoroughly.

Hold the spray nozzle approximately 5-10 cm away from your nails and feet.

Spray a light and even mist over the entire nail surface and foot area.

Gently massage the product into your nails and feet using circular motions.

For best results, use twice daily, in the morning and evening.

Warnings

For external use only.

Avoid contact with eyes. In case of accidental contact, rinse thoroughly with water. Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately.

Do not use

if you are allergic to any of the ingredients listed.

When Using

If the condition persists or worsens

Stop Use

if irritation occurs.

Keep Out Of Reach Of Children

Keep Out Of Reach Of Children

Directions

- 1. Shake well before use.
- 2. Cleanse and dry your nails and feet thoroughly.
- 3. Hold the spray nozzle approximately 5-10 cm awayfrom your nails and feet.
- 4. Spray a light and even mist over the entire nail surfaceand foot area.
- 5.Gently massage the product into your nails and feetusing circular motions.
- 6. For best results, use twice daily, in the morning and evening.

Other information

store at 15-25°C (59-77°F)

Inactive ingredients

Calamine, Daemonorops Draco Extract, Mentholatum, Glycyrrhiza Glabra, Aqua, Alcohol, Carbomer, Triethanolamine, Ethylparaben

Questions

Deosperavi LLC 426 W Fir Rd #1057, Carthage, MO 64836 03010-89625126 Contact us at www.ivigorwell.com or email service@ivigorwell.com

PRINCIPAL DISPLAY PANEL











VIGORWELL MEDINAIL TOENAIL FUNGUS TREATMENT SPRAY.

toenail spray liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82739-017	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PYRIDOXINE (UNII: KV2JZ1BI6Z) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	2 g in 100 mL	
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE ACETATE	0.2 g in 100 mL	
PROQUAZONE (UNII: 42VPJ2980S) (PROQUAZONE - UNII:42VPJ2980S)	PROQUAZ ONE	2 g in 100 mL	
ANHYDROVITAMIN A (UNII: 235BBF3K97) (ANHYDROVITAMIN A - UNII:235BBF3K97)	ANHYDROVITAMIN A	2 g in 100 mL	

Inactive Ingredients

Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
METHYLPARABEN (UNII: A218C7HI9T)		
WATER (UNII: 059QF0KO0R)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82739-017- 01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2023	
2	NDC:82739-017- 02	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2023	
3	NDC:82739-017- 03	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2023	
4	NDC:82739-017- 04	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	11/07/2023		

Labeler - Shenzhen Situya Trading Co., Ltd. (706154255)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shenzhen Situya Trading Co., Ltd.		706154255	label(82739-017), manufacture(82739-017)	

Revised: 11/2023 Shenzhen Situya Trading Co., Ltd.