

THIOSINAMINUM- allylthiourea pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Thiosinaminum Kit Refill 30c

ACTIVE INGREDIENTS

THIOSINAMINUM 30C

USES

Indicated for Scarring.

KEEP OUT OF REACH OF CHILDREN

As with all medications, keep out of reach of children.

INDICATIONS

THIOSINAMINUM Scarring

STOP USE AND ASK DOCTOR

If symptoms persist or recur, discontinue use. If pregnant or nursing, consult a licensed practitioner before using this product.


DIRECTIONS

(Adults or Children): Dissolve 3 to 5 pellets under tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL



CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.


WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

THIOSINAMINUM

allylthiourea pellet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71919-819 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------|
| ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7) | ALLYLTHIOUREA | 30 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |
| LACTOSE (UNII: J2B2A4N98G) | |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|--|
| Color | white (white) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:71919-819-01 | 350 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 11/08/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

| | | | |
|---------------------------|--|------------|--|
| unapproved homeopathic | | 11/08/2023 | |
|---------------------------|--|------------|--|

Labeler - Washington Homeopathic Products (084929389)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------|---------|-----------|------------------------|
| Washington Homeopathic Products | | 084929389 | manufacture(71919-819) |

Revised: 11/2023

Washington Homeopathic Products