

COPPERTONE PURE AND SIMPLE KIDS SUNSCREEN SPF 50- zinc oxide (24.08%) spray
Beiersdorf Inc

P&S Kids Spray

Drug Facts

Active ingredient

Zinc Oxide (24.08%)

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25° C (68° to 77° F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl pelargonate, ethylhexyl methoxycrylene, polyester-27, cetyl dimethicone, triethoxycaprylylsilane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, caprylyl methicone

Questions?

1-866-288-3330

Coppertone

Zinc Oxide Sunscreen Spray

Pure & Simple

#1 Pediatrician Recommended Sunscreen Brand

Kids

50

100% Mineral Sun Protection

Hypoallergenic & Tear Free

Suitable for Sensitive Skin

Free of Oxybenzone, Octinoxate, PABA, Parabens, Dyes, Fragrance

Water Resistant (80 Minutes)

Broad Spectrum SPF 50



Coppertone.
ZINC OXIDE SUNSCREEN SPRAY

Pure & Simple

KiDs
50

**100% MINERAL
SUN PROTECTION[†]**

**Hypoallergenic & Tear Free
Suitable for Sensitive Skin**

Free of Oxybenzone, Octinoxate,
PABA, Parabens, Dyes, Fragrance

Water Resistant (80 Minutes)
Broad Spectrum SPF 50

NET WT 5 OZ (142 g)

Shake well before each use.

Pure & Simple means 100% mineral sun protection[†] with naturally sourced zinc oxide and is free of oxybenzone, octinoxate, PABA, parabens, dyes, fragrance.

| | |
|--|-----------------------------|
| Drug Facts | |
| Active ingredient (To Deliver) Zinc Oxide 24.08% | Purpose Sunscreen |
| Use ■ helps prevent sunburn | |
| Warnings | |
| For external use only | |
| Flammable: Do not use near heat, flame, or while smoking | |
| Do not use on damaged or broken skin | |
| When using this product | |
| ■ keep away from face to avoid breathing it | |
| ■ keep out of eyes. Rinse with water to remove. | |
| ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. | |
| ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. | |
| Stop use and ask a doctor if rash occurs | |
| Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor | |
| Other information | |
| ■ protect this product from excessive heat and direct sun | |
| ■ store between 20° to 25°C (68° to 77°F) | |
| ■ may stain or damage some fabrics or surfaces | |
| Inactive ingredients isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butylcetyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl pelargonate, ethylhexyl methoxycrylate, polyester-27, cetyl dimethicone, triethoxycaprylylsilane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, caprylyl methicone | |
| Questions? 1-866-288-3330 | |

†Based on zinc oxide active
www.coppertone.com

Beiersdorf
Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG,
Germany



0 72140 02882 4

DOT-2P M5655



10013026



Empty Before Recycling
METAL CAN

how2recycle.info

COPPERTONE PURE AND SIMPLE KIDS SUNSCREEN SPF 50

zinc oxide (24.08%) spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66800-2882 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 24.08 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| SYNTHETIC BEESWAX (UNII: 08MNR5YE2R) | |
| TOCOPHEROL (UNII: ROZB2556P8) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PEG-12 DIMETHICONE (UNII: ZEL54N6W95) | |
| ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M) | |
| ETHYLHEXYL PELARGONATE (UNII: 3YU1SQ04DV) | |
| WATER (UNII: 059QF0KO0R) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| POLYESTER-7 (UNII: 0841698D2F) | |
| CETYL DIMETHICONE 150 (UNII: 5L694Y0T22) | |
| ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| HYDROXYACETOPHENONE (UNII: G1L3HT4CMH) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |

Product Characteristics

| | | | |
|-----------------|------------------------|---------------------|--|
| Color | white (White-to-Clear) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

| | | | | |
|------------------------------|---|---|-----------------------------|---------------------------|
| 1 | NDC:66800-2882-5 | 142 g in 1 CAN; Type 0: Not a Combination Product | 11/08/2023 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | | 11/08/2023 | |

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc