COPPERTONE PURE AND SIMPLE KIDS SUNSCREEN SPF 50- zinc oxide (24.08%) spray Beiersdorf Inc

Coppertone P&S Kids Spray

Drug Facts

Active ingredient

Zinc Oxide (24.08%)

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl pelargonate, ethylhexyl methoxycrylene, polyester-27, cetyl dimethicone, triethoxycaprylylsilane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, caprylyl methicone

Questions?

1-866-288-3330

Coppertone

Zinc Oxide Sunscreen Spray

Pure & Simple

#1 Pediatrician Recommendd Sunscreen Brand

Kids

100% Mineral Sun Protection

Hypoallergenic & Tear Free

Suitable for Sensitive Skin

Free of Oxybenzone, Octinoxate, PABA, Parabens, Dyes, Fragrance

Water Resistant (80 Minutes)

Broad Spectrum SPF 50







100% MINERAL SUN PROTECTION[†]

Hypoallergenic & Tear Free Suitable for Sensitive Skin

Free of Oxybenzone, Octlnoxate, PABA, Parabens, Dyes, Fragrance

> Water Resistant (80 Minutes) **Broad Spectrum SPF 50**

> > NET WT 5 OZ (142 g)

Para di Simple manna 1992) minerali sun protection[†] mish naturali y accread ain calde a null i free of acchi asyone, accinencia. ISSES, screekees sidenti, frances acc

Drug Facts

Active ingredient (To Deliver) Zinc Oxide 24.08%

US8 = helps prevent sunburn

Warnings For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
 use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and ask a doctor it rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

DIFFICURES

■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face.

Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 5 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, aspecially from 10 a.m. = 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses m children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

inactive ingredients isobutane, water, C12-15 alkyl berzoate, isopropyl palmiztas, butyloctyl salicylata, ethylhex isononanoata, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl diminisate programs to copuling, diministre, ensymbol pelargonate, ethiylhexyl methoxycrylene, polyester-27, cetyl dimethicone, triethoxycaprylytellane, beeswax, tocopherol (vitamin E), hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyt glycol, caprylytically control of the c caprylyl methicone

Questions? 1-866-288-3330

†Based on zinc oxide active

www.cappartone.com







Beiersdorf

ersdorf inc. Stamford, CT 06901 ereg. TM. of Belersdorf AG,

COPPERTONE PURE AND SIMPLE KIDS SUNSCREEN SPF 50

zinc oxide (24.08%) spray

Product Information

HUMAN OTC DRUG NDC:66800-2882 **Product Type Item Code (Source)**

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) ZINC OXIDE 24.08 g in 100 g

Inactive Ingredients

rength	
	SY

DIMETHICONE (UNII: 92RU3N3Y10)

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)

BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98Z R7R)

CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)

ISOBUTANE (UNII: BXR49TP611)

BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3) PEG-12 DIMETHICONE (UNII: ZEL54N6W95) ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)

ETHYLHEXYL PELARGONATE (UNII: 3YU1SQ04DV)

WATER (UNII: 059QF0KO0R)

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)

ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)

CAPRYLYL GLYCOL (UNII: 00YIU5438U) CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)

POLYESTER-7 (UNII: 0841698D2F)

CETYL DIMETHICONE 150 (UNII: 5L694Y0T22) ETHYLHEXYL ISONONANOATE (UNII: 16KB4GE3K4)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

TOCOPHEROL (UNII: R0ZB2556P8)

HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

SODIUM CHLORIDE (UNII: 451W47IQ8X) 1,2-HEXANEDIOL (UNII: TR046Y3K1G)

Product Characteristics

Color	white (White-to-Clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

D	2		2		2
	a	L	20	,,,	ng

Marketing Start Marketing End Item Code Package Description Date Date

	142 g in 1 CAN; Type 0: Not a Combination Product	.1/08/2023				
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M020	11/08/2023				

Labeler - Beiersdorf Inc (001177906)

Revised: 11/2023 Beiersdorf Inc