HEALCOME TATTOO NUMBING CREAM 18% LIDOCAINE- lidocaine cream YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD

Healcome Tattoo Numbing Cream 18% Lidocaine

Drug Facts

Drug Facts

Active ingredients

Purpose

Lidocaine 18%......Topical Anesthetic Peppermint Extract 10%......Topical Analgesia

Uses

■ Temporarily relieves pain, burning, and soreness ■ Commonly used for tattooing, waxing, piercing, injection, microneedling, and hair removal

Warnings For external use only

Do not use ■ in large quantities ■ on wounds or on irritated or damaged skin ■ with a heating pad

When using this product ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ use only as directed ■ do not bandage tightly ■ avoid contact with eyes and mucous membranes ■ do not expose the area to local heat or to direct sunlight

Stop and ask a doctor if discomfort persists. **If pregnant or breastfeeding,** ask a health professional before use.



Drug Facts (Continued)

Keep out of reach of children. In case of accidental ingestion, seek

medical advice immediately of contact a Poison Control Center right away.

Directions

■ Patch Test Warning: Before first use, apply a small amount of cream to a small area of skin and wait 24 hours. If no adverse reaction occurs, proceed with regular use. ■ Clean and dry skin with mild soap. ■ Apply a thick, even layer with brush. ■ Wrap in plastic for 30 minutes. ■ Wipe off with tissue before starting the procedure. ■ Numbness duration may vary with temperature and skin type. If it's weak after 30 minutes, extend it to 60 minutes.

Children under 12 years of age: ask a doctor

Other information Store at room temperature, away from heat and moisture. ALWAYS CLOSE CAP TIGHTLY AFTER USE

Inactive ingredients Water, Gallic Extract, Arnica Oil, Propylene Glycol, Emu Oil, Shea Butter, Tocopheryl Acetate (Vitamin E), Clove oil, Borneol, Soy lecithin, Ethanol, Carbomer

Questions or comments? Contact us at cs@healcome.com

Active ingredients

Lidocaine 18%

Topical Anesthetic

Peppermint Extract 10%

Topical Analgesia

Do not use

- in large quantities on wounds or on irritated or damaged skin with a heating pad When using this product
- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes use only as directed do not bandage tightly avoid contact with eyes and mucous membranes do not expose the area to local heat or to direct sunlight

Stop and ask a doctor if discomfort persists.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Uses

- Temporarily relieves pain, burning, and soreness - Commonly used for tattooing, waxing, piercing, injection, microneedling, and hair removal

Warnings

For external use only

Directions

- Patch Test Warning: Before first use, apply a small amount of cream to a small area of skin and wait 24 hours. If no adverse reaction occurs, proceed with regular use. - Clean and dry skin with mild soap. - Apply a thick, even layer with brush. - Wrap in plastic for 30 minutes. - Wipe off with tissue before starting the procedure. - Numbness duration may vary with temperature and skin type. If it's weak after 30 minutes, extend it to 60 minutes.

Children under 12 years of age: ask a doctor

Other information Store at room temperature, away from heat and moisture. ALWAYS CLOSE CAP TIGHTLY AFTER USE

Inactive ingredients

Water, Gallic Extract, Arnica Oil, Propylene Glycol, Emu Oil, Shea Butter, Tocopheryl Acetate (Vitamin E), Clove oil, Borneol, Soy lecithin, Ethanol, Carbomer

HEALCOME TATTOO NUMBING CREAM 18% LIDOCAINE

lidocaine cream

ı	Product Information			
l	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83364-019(NDC:85248-002)
l	Route of Administration	TOPICAL		

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	18 g in 100 g			

Inactive Ingredients			
Ingredient Name	Strength		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
CARBOMER 934 (UNII: Z135WT9208)			
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
WATER (UNII: 059QF0KO0R)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
SOYBEAN LECITHIN (UNII: 1DI56QDM62)			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:83364-019- 01	1 in 1 BOX	03/18/2025		
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing In			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/18/2025	

Labeler - YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD (725220463)

Revised: 3/2025 YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD