

**TOLNAFTATE- jock itch powder aerosol, spray**  
**Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TopCare Jock Itch Powder Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most jock itch (tinea cruris)
- relieves itch, burning and chafing associated with jock itch

***Warnings***

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- avoid contact with eyes
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 2 weeks

**Do not use**

- on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if conditions persist, consult a doctor
- in case of clogging, clear nozzle under running water

## Other information

store between 20° and 30°C (68°F and 86°)

## Inactive ingredient

BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B (14%w/w), talc

## Questions?

Call 1-888-423-0139

## Principal Display Panel

### TopCare

Medicated

Jock Itch Powder Spray

Tolnaftate 1%

- Cures most symptoms of jock itch
- Relieves itching, chafing and burning

NET WT 4.6 OZ (130 g)

**TopCare®**

**MEDICATED**

**Jock Itch Powder Spray**

TOLNAFTATE 1%

- Cures most symptoms of jock itch
- Relieves itching, chafing and burning

COMPARE TO TINACTIN® active ingredient\*

NET WT 4.6 OZ (130g)

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses**

- cures most jock itch (tinea cruris)
- relieves itching, burning and chafing associated with jock itch

**Warnings**

For external use only.

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- avoid contact with eyes
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 2 weeks

**Do not use** on children under 2 years of age unless directed by a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists, consult a doctor
- in case of clogging, clear nozzle under running water

**Other information**

store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**

BHT, isobutane (propellant) PPG-12 buteth-16, SD Alcohol 40-B (14% w/w), talc

**Questions?** Call 1-888-423-0139

\*This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Tinactin®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PBA1214  
QUESTIONS? 1-888-423-0139 topcare@topco.com

0 36800 10673 4

UPC FPO

QUALITY GUARANTEED

50-061TC

# TOLNAFTATE

jock itch powder aerosol, spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-024
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	
TALC (UNII: 7SEV7J4R1U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:36800-024-46	130 g in 1 CAN; Type 0: Not a Combination Product	01/03/2012	11/30/2020

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333C	01/03/2012	11/30/2020

**Labeler** - Topco Associates LLC (006935977)

Revised: 12/2019

Topco Associates LLC