

**LAXATIVE- bisacodyl tablet, delayed release**  
**DOLGENCORP, LLC**

-----  
**Dollar General 44-790**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness, and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

acacia, ammonium hydroxide, black iron oxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, sodium citrate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

***Questions or comments?***

**1-888-309-9030**

***Principal display panel***

**DG® | health**

**Compare to active ingredient of Dulcolax® Laxative Tablets\***

**Laxative Tablets  
Bisacodyl USP, 5 mg  
Stimulant Laxative**

**Gentle, dependable constipation relief**

**5 mg each**

**25 Tablets**

Comfort Coated

Actual Tablet Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.  
50844 ORG092379056

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100% Satisfaction Guaranteed!**  
(888)309-9030

**Laxative Tablets**  
Bisacodyl USP, 5 mg  
Stimulant Laxative

**DG health**

Compare to active ingredient of Dulcolax® Laxative Tablets\*

**Laxative Tablets**  
Bisacodyl USP, 5 mg  
Stimulant Laxative

Gentle, dependable constipation relief

**25 Tablets**  
Comfort Coated  
Actual Tablet Size

**5 mg each**

**Laxative Tablets**  
Bisacodyl USP, 5 mg  
Stimulant Laxative

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.  
50844 ORG092379056

**100% Satisfaction Guaranteed!**  
(888) 309-9030

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**Drug Facts** KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)	Purpose
Bisacodyl USP, 5 mg	Stimulant laxative

**Uses**

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

**Warnings**

Do not use if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness, and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

do not take more than directed	take 1 to 3 tablets in a single daily dose
take with a glass of water	
adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

**Inactive ingredients** acacia, ammonium hydroxide, black iron oxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, sodium citrate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-888-309-9030

A0201

No print/No varnish  
Lot & Exp date

3 50844 70656 0

B-0315-790-56  
ORG092379056

Dollar General 44-790

# LAXATIVE

bisacodyl tablet, delayed release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-792
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>Polyvinyl Acetate Phthalate</b> (UNII: 58QVG85GW3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-792-56	1 in 1 CARTON	01/24/2024	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/24/2024	

**Labeler** - DOLGENCORP, LLC (068331990)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(55910-792) , pack(55910-792)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-792) , pack(55910-792)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-792)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-792)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-792)