# SPF 50 SUNSCREEN STICK- zinc oxide stick ELEEO Brands LLC

-----

**Drug Facts** 

#### **Active ingredient**

Zinc Oxide....20%

#### **Purpose**

Sunscreen

### Keep Out of Reach of Children

If swallowed; get medical help or contact a Poison Control Center right away.

#### Uses

Helps prevent sunburn. If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### **Warnings**

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

#### **Directions**

Apply liberally 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun especially from 10 a.m. – 2 p.m. Wear long-sleeve shirts, pants, hats and sunglasses. Children under 6 months: Ask a doctor.

## **Inactive Ingredients**

Aloe Extract, Behenyl Behenate, Shea Butter, Caprylic/Capric Triglyceride, Coconut Oil, Candelilla Wax, Sunflower Oil, Sunflower Wax, Polyhydroxystearic Acid, Castor Oil, Jojoba Oil, Squalane, Cocoa Butter, Tocopherol (Vitamin E).

## Package/Label Principal Display Panel



### Drug Facts

### Active Ingredients

Purpose

Zinc Oxide 20%

Sunscreen

 Uses • Helps prevent sunburn and photodamage caused by UVA/UVB exposure
 Higher SPF gives more sunburn protection

Warnings • When using this product
• Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center

**Directions** • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children

Distributed by ELEEO BRANDS, Cincinnati, Ohio 45202, U.S.A. MADE IN USA 5008A

PEEL HERE >

#### **SPF 50 SUNSCREEN STICK**

zinc oxide stick

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:79747-004

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

l	Ingredient Name	<b>Basis of Strength</b>	Strength
l	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

#### 

<b>Product</b>	Charas	torictics
FIUUUCL	Cilaiac	rei istics

Color white Score

Shape	Size
Flavor	Imprint Code
Contains	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:79747-004- 01	14 g in 1 CONTAINER; Type 0: Not a Combination Product	02/10/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/10/2021	

## Labeler - ELEEO Brands LLC (078476782)

## Registrant - OraLabs (801824756)

Establishment			
Name	Address	ID/FEI	Business Operations
OraLabs		801824756	manufacture(79747-004) , label(79747-004)

Revised: 3/2024 ELEEO Brands LLC