

**SOFT CHLOR PART A- lactic acid solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**FOR INDUSTRIAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**Warning**

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**DIRECTIONS:**

**IMPORTANT:** Do not mix Soft Chlor Part A with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Soft Chlor Part A.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Mix Directions:** Measure equal volumes of Soft Chlor Part A and Soft Chlor Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

**Pre-Milk Dipping:** Fill teat dip cup with properly mixed Soft Chlor Part A and Soft Chlor Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use mixed Soft Chlor Part A and Soft Chlor Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

**PRECAUTION:** Soft Chlor Part A is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

## Representative Label and Principal Display Panel

**A&L Laboratories**

**Soft Chlor™ Part A**

**Sanitizing Pre/Post Teat Dip**

Soft Chlor Part A is formulated to be used as a companion product for Soft Chlor Part B.

An aid in reducing the spread of organisms which may cause mastitis

**ACTIVE INGREDIENT:**

Lactic acid ..... 2.64%

**SKIN CONDITIONING SYSTEM:**

(contains sorbitol, PEG-75 lanolin)..... 10.00%

**INERT INGREDIENTS:**..... 87.36%

**TOTAL:**.....100.00%

Manufactured by

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392

© 2016 Ecolab USA Inc. · All rights reserved

Made in U.S.A.

768305/5300/1216

**56.8L (15 US GAL) 6302068**



# Soft Chlor™ Part A

Sanitizing Pre/Post Teat Dip  
Desinfectante previa y posterior al sellado de pezones

Soft Chlor Part A is formulated to be used as a companion product for Soft Chlor Part B. An aid in reducing the spread of organisms which may cause mastitis

|                                     |         |
|-------------------------------------|---------|
| <b>ACTIVE INGREDIENT:</b>           |         |
| Lactic acid                         | 2.64%   |
| <b>INERT INGREDIENTS:</b>           | 97.36%  |
| (contains sorbitol, PEG-75 lanolin) |         |
| <b>TOTAL:</b>                       | 100.00% |

### FOR INDUSTRIAL USE ONLY

#### DIRECTIONS:

**IMPORTANT:** Do not mix Soft Chlor Part A with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Soft Chlor Part A.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Mix Directions:** Measure equal volumes of Soft Chlor Part A and Soft Chlor Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

**Pre-Milk Dipping:** Fill teat dip cup with properly mixed Soft Chlor Part A and Soft Chlor Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use mixed Soft Chlor Part A and Soft Chlor Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

**PRECAUTION:** Soft Chlor Part A is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

## Warning

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Soft Chlor Part A está formulado para su uso como producto complementario de Soft Chlor Part B. Ayuda a evitar la proliferación de organismos que pueden causar mastitis

### PARA USO INDUSTRIAL SOLAMENTE

#### INSTRUCCIONES:

**IMPORTANTE:** No mezcle Soft Chlor Part A con agua ni con otros productos, a menos que se especifique en las instrucciones de uso. En caso de trasvase desde este recipiente a cualquier otro, este último debe limpiarse previamente a fondo y tener la correspondiente etiqueta de Soft Chlor Part A.

Si el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir. No reutilice el producto ni vuelva a colocar en el recipiente original el producto que quede sin usar.

**Instrucciones de mezclado:** Mida volúmenes iguales de Soft Chlor Part A y Soft Chlor Part B en recipientes limpios. Mezcle hasta obtener un color uniforme. Mezcle sólo la cantidad necesaria para un turno de ordeño y deseche el resto.

**Sellado previo al ordeño:** Llene el aplicador con una mezcla correcta de Soft Chlor Part A y Soft Chlor Part B. Antes de cada ordeño, sumerja cada pezón por completo en el aplicador con producto. Posteriormente, seque los pezones con toallas descartables para evitar la contaminación de la leche.

**Sellado posterior al ordeño:** Inmediatamente después de cada ordeño, utilice una mezcla sin diluir de Soft Chlor Part A y Soft Chlor Part B. Sumerja cada pezón por completo en el aplicador con producto mezclado. Deje secar al aire. No limpie. Siempre utilice una nueva mezcla de producto sin diluir. No coloque las vacas en lugares con temperaturas bajo cero hasta que el producto esté completamente seco.

**PRECAUCIÓN:** Soft Chlor Part A no tiene por objeto curar ni ayudar a eliminar el agrietamiento y la irritación de los pezones. Al igual que con cualquier bactericida, puede producirse irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, consulte con un veterinario para su examen y, de ser necesario, su tratamiento. Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**NO ES PARA USA HUMANO**

## Atención

Provoca irritación ocular.

Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

### LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO

**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

Manufactured by  
Ecolab - 1 Ecolab Place - St Paul MN 55102 USA - tel: 1 800 392 3392  
© 2016 Ecolab USA Inc. - All rights reserved | Todos los derechos reservados  
Made in U.S.A. | Hecho en EE.UU.  
768305/5300/1216

56.8 L (15 US GAL)

6302068



## SOFT CHLOR PART A

lactic acid solution

### Product Information

|                                |                 |                           |               |
|--------------------------------|-----------------|---------------------------|---------------|
| <b>Product Type</b>            | OTC ANIMAL DRUG | <b>Item Code (Source)</b> | NDC:47593-542 |
| <b>Route of Administration</b> | TOPICAL         |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength        |
|--|-------------------|-----------------|
| LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) | LACTIC ACID       | 26.4 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| SORBITOL (UNII: 506T60A25R)       |          |
| PEG-75 LANOLIN (UNII: 09179OX7TB) |          |
| WATER (UNII: 059QF0KO0R)          |          |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:47593-542-17 | 56800 mL in 1 DRUM  |                      |                    |
| 2 | NDC:47593-542-21 | 208000 mL in 1 DRUM |                      |                    |

**Marketing Information**

| Marketing Category       | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug<br>other |  | 06/04/2015           |                    |

**Labeler** - Ecolab Inc. (006154611)

Revised: 9/2025

Ecolab Inc.