

WAL DRYL CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid
Walgreens

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on chart below

age (yrs)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- **each 5 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, D&Cred #33, RD&Cred#40, flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy††

Children's

Allergy Relief

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL

ANTIHISTAMINE / ORAL SOLUTION

4 - 6 HOUR RELIEF

ALCOHOL FREE

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES 6 - 11 YEARS

FL OZ (mL)

CHERRY FLAVOR

DOSAGE CUP PROVIDED

††This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

walgreens.com

Product Label

Drug Facts (continued)

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING

DOSAGE CUP PROVIDED

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
††This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2021 Walgreen Co. PRODUCT OF CHINA

NDC 0363-0092-08

Compare to the active ingredient in Children's Benadryl® Allergy†

Children's Allergy Relief

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL ANTIHISTAMINE / ORAL SOLUTION

4-6 Hour Relief

Alcohol Free

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES 6-11 YEARS

Cherry flavor

8 FL OZ (237 mL)

NDC 0363-0092-08

Compare to the active ingredient in Children's Benadryl® Allergy†

Children's Allergy Relief

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL ANTIHISTAMINE / ORAL SOLUTION

4-6 Hour Relief

Alcohol Free

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES 6-11 YEARS

Cherry flavor

8 FL OZ (237 mL)

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.

ITEM 461763 W11042-0624-L



PLD-J241D FC009148

Lot No.:
Exp. Date:

W3ORG0222-F
REV-0524

WALGREENS Children's Allergy Relief Cherry Flavor

WAL DRYL CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0092
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0092-08	1 in 1 BOX	04/30/2015	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2015	

Labeler - Walgreens (008965063)

Revised: 6/2024

Walgreens