WAL DRYL CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on chart below

age (yrs)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, D&Cred #33, RD&Cred#40, flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy††

Children's

Allergy Relief

DIPHENHYDRAMINE HCI 12.5 mg

ANTIHISTAMINE

4 - 6 HOUR RELIEF

ALCOHOL FREE

• Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES 6 - 11 YEARS

FL OZ (mL)

CHERRY FLAVOR

DOSAGE CUP PROVIDED

††This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label



WALGREENS Children's Allergy Cherry Flavor

WAL DRYL CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0092 Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Ш	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:0363-0092-08	1 in 1 BOX	04/30/2015	
	1	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/30/2015	

Labeler - Walgreens (008965063)

Revised: 3/2022 Walgreens