

**THERAFLU-D FLU RELIEF MAX STRENGTH PLUS NASAL DECONGESTANT  
NIGHTTIME- acetaminophen, chlorpheniramine maleate, dextromethorphan  
hbr, pseudoephedrine hcl syrup  
Haleon US Holdings LLC**

-----

***Drug Facts***

***Active ingredients (in each 30 mL)***

Acetaminophen 1000 mg

Chlorpheniramine maleate 4 mg

Dextromethorphan HBr 30 mg

Pseudoephedrine HCl 60 mg

***Purposes***

Pain reliever/Fever reducer

Antihistamine

Cough suppressant

Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to a common cold or flu:
  - headache
  - minor aches and pains
  - minor sore throat pain
  - runny nose
  - cough due to minor throat and bronchial irritation
  - nasal and sinus congestion
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

- If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

### **Do not use**

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- **do not exceed recommended dosage**
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts
- These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed**
- measure the dose correctly using the enclosed dosing cup
- adults and children 12 years of age and over: take every 6 hours in dosing cup provided, while symptoms persist
- do not take more than 3 doses (90 mL) in 24 hours unless directed by a doctor
- children under 12 years of age: do not use

• Age	• Dose
• adults and children 12 years of age and over	• 30 mL every 6 hours
• children under 12 years of age	• do not use

**Other information**

- **each 30 mL contains:** sodium 26 mg
- store at 20-25°C (68-77°F). Do not refrigerate. Keep bottle tightly closed.

**Inactive ingredients**

alcohol, anhydrous citric acid, carboxymethylcellulose sodium, D&C red no. 33, FD&C red no. 40, glycerin, natural and artificial flavors, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

**Questions or comments?**

**1-855-328-5259**

**Additional Information**

**READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. KEEP CARTON FOR REFERENCE. DO NOT DISCARD.**

**PARENTS:**

Learn about teen medicine abuse

www.StopMedicineAbuse.org

**DO NOT USE IF TEAR BAND ON CAP IS BROKEN OR MISSING.**

Distributed by: Haleon

Warren, NJ 07059

Made in Canada

©2024 Haleon group of companies or its licensor.

Trademarks are owned by or licensed to the Haleon group of companies.

Pat. Info [www.productpats.com](http://www.productpats.com)

**Principal Display Panel**

**MULTI-SYMP TOM RELIEF NEWHALEON**

***THERAFLU-D***

***FLU RELIEF***

***MAX STRENGTH\****

***+ NASAL DECONGESTANT***

***NIGHTTIME***

**Acetaminophen**

Pain Reliever/Fever Reducer

**Chlorpheniramine Maleate**

Antihistamine

**Dextromethorphan HBr**

Cough Suppressant

**Pseudoephedrine HCl**

Nasal Decongestant

***Fast, Powerful Multi-Symptom*** relief of:

/ Fever

/ Nasal congestion

/ Sinus Pressure

/ Head & Body Ache

/ Sore Throat Pain

/ Cough

/ Runny Nose

/ Sneezing

## Cherry Flavor

8.0 FL OZ (237 mL)

62000000209276 Carton Front



### **THERAFLU-D FLU RELIEF MAX STRENGTH PLUS NASAL DECONGESTANT NIGHTTIME**

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, pseudoephedrine hcl syrup

#### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0067-0114
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	60 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	red (Clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0067-0114-01	1 in 1 CARTON	06/19/2024	
1		237 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/19/2024	

**Labeler** - Haleon US Holdings LLC (079944263)

Revised: 5/2024

Haleon US Holdings LLC