THERA PLUS ORIGINAL STRENGTH TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment FOURSTAR GROUP USA, INC.

Thera Plus Original Strength Triple Antibiotic

Drug Facts

Active ingredients

Bacitracin zinc 400 units

Neomycin sulfate 3.5 mg

Polymyxin B sulfate 5,000 units

Purpose

First aid antibiotic

Uses

for first aid to help to prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients in this product
- in contact with the eyes or mucous membranes
- over large areas of the body
- longer than 1 week unless directed by a doctor

When using this product

• avoid contact with eyes

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

• symptoms last for more than 7 days

- the condition persists or gets worse
- symptoms clear up and then occur again within a few days
- a rash or other allergic reaction occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away(1-800-222-1222).

Directions

Adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) to affected area 1 to 3 times daily
- May be covered with a sterile bandage.
- Children under 2 years of age: ask a doctor before use

Other information

• store at room temperature 59° - 77°F (15° - 25°C).

Inactive ingredients

mineral oil, petrolatum

Questions?

1-800-639-3803W eekdays 9 AM to 4 PM EST

Package Labeling:



Relief for Cuts, Scrapes, and Burns Helps Prevent Infection for Faster Healing

Original Strength Triple Antibiotic

Bacitracin Zinc / Neomycin Sulfate / Polymyxin B:Sulfate

NET WT. 0.5 OZ (14g)

MANUFACTURED FOR: FOURSTAR GROUP USA, INC. 925 GRANT ST., AKRON, OH 44311 USA MADE IN CHINA

.



1

Drug Facts Purpose Active ingredients Purpose Bacitracin zinc 400 units First aid antibiotic Neomycin sulfate 3.5 mg First aid antibiotic Polymyxin B sulfate 5,000 units First aid antibiotic	Drug Facts (continued) Stop use and ask a doctor if symptoms last for more than 7 days the condition persists or gets worse symptoms clear up and then occur again within a few days a rash or other allergic reaction occurs
Uses for first aid to help to prevent infection in minor:	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away(1-800-222-1222).
Warnings For external use only. Do not use if you are allergic to any of the ingredients in this product in contact with the eyes or mucous membranes over large areas of the body longer than 1 week unless directed by a doctor	 Directions Adults and children 2 years of age and older : clean the affected area apply a small amount of this product (an amount equal to the surface area of the tip of a finger) to affected area 1 to 3 times daily May be covered with a sterile bandage. Children under 2 years of age: ask a doctor before use
When using this product ■ avoid contact with eyes Ask a doctor before use if you have ■ doop or pupply a wounde	Other information ■ store at room temperature 59° - 77°F (15° - 25°C).
 deep or puncture wounds animal bites serious burns 	<i>Inactive ingredients</i> mineral oil, petrolatum <i>Questions</i> ? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

*Neosporin[®] is a registered trademark of Kenvue Inc. All trademarks and registered trademarks are the property of their respective owners....... TheraPlus[®] is not manufactured or distributed by Johnson & Johnson or Kenvue Inc.

COMPARE TO THE ACTIVE INGREDIENTS OF NEOSPORIN® ORIGINAL OINTMENT*

THERA

Original Strength Triple Antibiotic

Plus[®] -Bacitracin Zinc / Neomycin Sulfate / Polymyxin B Sulfate-

Relief for Cuts, Scrapes, and Burns Helps Prevent Infection for Faster Healing

NET WT. 0.5 OZ (14g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients Bacitracin zinc 400 units, Neomycin sulfate 3.5 mg, Polymyxin B sulfate 5,000 units *Purpose* First aid antibiotic *Uses* for first aid to help to prevent infection in minor: \blacksquare cuts \blacksquare scrapes \blacksquare burns *Warnings* For external use only. Do not use \blacksquare if you are allergic to any of the ingredients in this product \blacksquare in contact with the eyes or mucous membranes \blacksquare over large areas of the body \blacksquare longer than 1 week unless directed by a doctor *When using this product* \blacksquare avoid contact with eyes Ask a doctor before use if you have \blacksquare deep or puncture wounds \blacksquare animal bites \blacksquare serious burns Stop use and ask a doctor if \blacksquare symptoms last for more than 7 days \blacksquare the condition persists or gets worse \blacksquare symptoms clear up and then occur again within a few days \blacksquare a rash or other allergic reaction occurs *Keep out of reach of children*. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). *Directions* Adults and children 2 years of age and older: \blacksquare clean the affected area \blacksquare apply a small amount of this product (an amount equal to the surface area of the tip of a finger) to affected area 1 to 3 times daily \blacksquare May be covered with a sterile bandage. \blacksquare children under 2 years of age: ask a doctor before use *Other information* \blacksquare store at room temperature 59 °-77° F(15° - 25° C). *Inactive ingredients* mineral oil, petrolatum

*Neosporin® is a registered trademark of Kenvue Inc. All trademarks and registered trademarks are the property of their respective owners. TheraPlus® is not manufactured or distributed by Johnson & Johnson or Kenvue Inc. MANUFACTURED FOR: FOURSTAR GROUP USA, INC. 925 GRANT ST., AKRON, OH 44311 USA MADE IN CHINA LOT: EXP:

THERA PLUS ORIGINAL STRENGTH TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (So	ource)	NDC:8068	4-140
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingr	edient Name		Basis of Stre	ngth S	Strength
BACITRACIN ZINC (UNII: 89Y4M23	34ES) (BACITRACIN - UNII:58	H6RW052I)	BACITRACIN	40	0U in 1g
NEOMYCIN SULFATE (UNII: 057Y	626693) (NEOMYCIN - UNII:I	16QD7X297)	NEOMYCIN	3.5	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19	9371312D4) (POLYMYXIN B -	UNII:J2VZ07J96K)	POLYMYXIN B	50	00 U in 1 g

Inactive Ingredients	
Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Pa	ackaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
		14 g in 1 TUBE; Type 0: Not a Combination Product	03/03/2025		
	arketing I	nformation			
	arketing l Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

Labeler - FOURSTAR GROUP USA, INC. (140099503)

Revised: 3/2025

FOURSTAR GROUP USA, INC.