

**DAY TIME HIGH BLOOD PRESSURE COLD AND FLU- acetaminophen  
dextromethorphan hbr solution  
Camber Consumer Care**

-----  
**DAYTIME Cold & Flu High Blood Pressure**

**Drug Facts**

***Active ingredients  
(in each 30 mL)***

Acetaminophen 650 mg  
Dextromethorphan HBr 20 mg

***Purpose***

Acetaminophen .....Pain reliever/Fever reducer  
Dextromethorphan HBr .....Cough suppressant

***Uses***

Temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses (30 mL each) of acetaminophen in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use:** • with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure

whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** • liver disease • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use** if you are taking the blood thinning drug Warfarin

**Stop use and ask a doctor if**

• pain or cough gets worse or last more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- **take only as directed**
- only use dose cup provided
- do not take more than 4 doses per 24 hours

**Age**

**Dose**

adults and children 12 years and over	30 mL every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

**Other information**

- sodium content per tablespoon: 23 mg
- store at room temperature

**Inactive ingredients**

citric acid, FD&C Yellow no. 6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate,

sodium citrate, sorbitol, sucralose, xanthan gum.

**Questions? Call weekdays 1-888-588-1418**

**Package Label: DAYTIME Cold & Flu High Blood Pressure**

**DAYTIME Cold & Flu High Blood Pressure**

**8 FL OZ (237 mL)**

\* This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademark Vicks® DayQuil® High Blood Pressure Cold & Flu®.

Distributed by: Camber Consumer Care, Inc.  
Piscataway, NJ 08854, USA

**Drug Facts (continued)**

**Do not use** • with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or a pharmacist before taking this product.

**Ask a doctor before use if you have** • liver disease • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug Warfarin**

**Stop use and ask a doctor if** • pain or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms

**Directions** • take only as directed • only use dose cup provided • do not exceed 4 doses per 24 hours

Age	Dose
adults and children 12 years and over	30 mL every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

NDC 69230-331-08

**CAMBER**  
CONSUMER CARE

\*Compared to the active ingredients in Vicks® DayQuil High Blood Pressure Cold & Flu

**DAYTIME**  
**Cold & Flu**  
**HIGH BLOOD**  
**PRESSURE**

Acetaminophen Pain Reliever/Fever Reducer  
Dextromethorphan HBr Cough Suppressant

Relieves: Headache, Fever, Sore Throat,  
Cough, Minor Aches & Pains

Sugar Free  
8 FL OZ (237 mL)

**DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN**  
Failure to follow these warnings could result in serious consequences

**Drug Facts**

Active Ingredients (in each 30 mL)	Purpose
Acetaminophen 650 mg	Pain reliever/fever reducer
Dextromethorphan HBr 20 mg	Cough suppressant

**Uses** temporarily relieves common cold/flu symptoms:  
• cough due to minor throat & bronchial irritation • sore throat  
• headache • minor aches & pains • fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
• more than 4 doses (30 mL each dose) in 24 hours, which is the maximum daily amount for this product • with other drugs containing acetaminophen • 3 or more alcoholic drinks everyday while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash  
If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

LR-214

3 69230 33108 8

DRUG FACTS →  
CONTINUED ON BACK

Peel Here

**Drug Facts (continued)**

**Other information** • sodium content per tablespoon: 23 mg • store at room temperature

**Inactive ingredients** citric acid, FD&C yellow no. 3, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum.

**Questions?** Call weekdays 1-888-588-1418.

\*This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademark Vicks® DayQuil High Blood Pressure Cold & Flu®.  
Distributed by: Camber Consumer Care, Inc.  
Piscataway, NJ 08854, USA

# DAY TIME HIGH BLOOD PRESSURE COLD AND FLU

acetaminophen dextromethorphan hbr solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69230-331
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM SACCHARIN</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ANHYDROUS TRISODIUM CITRATE</b> (UNII: RS7A450LGA)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	ORANGE (ORANGE COUGH SYRUP FLAVOR)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69230-331-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/31/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

**Labeler** - Camber Consumer Care (079539968)

### Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(69230-331)

Revised: 2/2025

Camber Consumer Care