

SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 110 ALABASTER-  
 octinoxate and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 120 IVORY- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 130 OPAL- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 140 PORCELAIN-  
 octinoxate and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 150 LACE- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 160 SHELL- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 210 BIRCH- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 220 LINEN- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 230 ALDER- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 240 QUARTZ- octinoxate  
 and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 250 SAND- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 260 CASHMERE-  
 octinoxate and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 310 SILK- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 320 PINE- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 330 BAMBOO- octinoxate  
 and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 340 OAK- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 350 MAPLE- octinoxate and  
 titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 360 CITRINE- octinoxate  
 and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 410 SUNSTONE-  
 octinoxate and titanium dioxide emulsion  
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 420 BRONZE- octinoxate  
 and titanium dioxide emulsion  
 SHISEIDO AMERICAS CORPORATION

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION

*Drug Facts*

<i>Active ingredients</i>	<i>Purpose</i>
Octinoxate 4.9%	Sunscreen
Titanium Dioxide 5.8%	Sunscreen

## Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

**For external use only**

**Do not use on damaged or broken skin**

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

## Inactive Ingredients

DIMETHICONE WATER GLYCERIN  
TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE PEG-10 DIMETHICONE  
BUTYLENE GLYCOL PHENYL TRIMETHICONE DIMETHICONE CROSSPOLYMER BIS-  
BUTYLDIMETHICONE POLYGLYCERYL-3 SORBITAN SESQUISEOSTEARATE ISOPROPYL  
MYRISTATE DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER NACRE POWDER  
MAGNESIUM ALUMINOMETASILICATE POLYQUATERNIUM-51 THYMUS SERPYLLUM  
EXTRACT SODIUM ACETYLATED HYALURONATE ALUMINUM HYDROXIDE STEARIC  
ACID CYCLOPENTASILOXANE DISTEARDIMONIUM HECTORITE  
POLYMETHYLSILSESQUIOXANE POLYSILICONE-2  
TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN LITHIUM MAGNESIUM SODIUM  
SILICATE PEG/PPG-19/19 DIMETHICONE CITRIC ACID SODIUM CITRATE BHT SILICA  
TOCOPHEROL PHENOXYETHANOL TITANIUM DIOXIDE IRON OXIDES MICA

## Other information

Protect this product in this container from excessive heat and direct sun.

## Questions or comments?

Call toll free 1-800-906-7503

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 110 Alabaster**

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYMETHYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 120 Ivory**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 130 Opal**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYMETHYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 140 Porcelain**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**


DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 150 Lace**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
(continued)

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYMETHYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 160 Shell**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
(continued)

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 210 Birch**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
(continued)

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 220 Linen**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 230 Alder**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 240 Quartz**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 250 Sand**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYMETHYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA


**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 260 Cashmere**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 310 Silk**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.


**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. - 2 p.m.  
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**


DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 320 Pine**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
(continued)

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**


DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 330 Bamboo**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 340 Oak**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 350 Maple**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 360 Citrine**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**


DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 410 Sunstone**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>

See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYLSILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOOSTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXYMETHYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 420 Bronze**

SHISEIDO  
GINZA TOKYO  
SYNCHRO SKIN  
SELF-REFRESHING  
Foundation  
Oil-Free  
BROAD SPECTRUM  
SPF 30  
Sunscreen  
30mL 1 FL. OZ.

SELF-REFRESHING  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

A SHISEIDO first in foundation that refreshes non-stop. ActiveForce technology synchronizes with skin and helps to resist heat, oil, humidity and motion for a fresh, natural finish that lasts all day, 24-hour wear. Flawless. Weightless comfort. Medium, buildable coverage.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

**Drug Facts**

**Active ingredients**  
**Purpose**

OCTINOXATE 4.9% .....  
Sunscreen  
TITANIUM DIOXIDE 5.8% .....  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

www.shiseido.com



**Drug Facts**  
**(continued)**

**Warnings**

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

**Directions**


For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses



<http://s1872.com/16072AA>  
See our website for more information.

**SYNCHRO SKIN  
SELF-REFRESHING**

Foundation  
Oil-Free

BROAD SPECTRUM  
SPF 30

Sunscreen

30mL 1 FL. OZ.

**Drug Facts**  
**(continued)**

**Inactive ingredients**

DIMETHICONE - WATER - GLYCERIN - TRIFLUOROPROPYLDIMETHYL/ TRIMETHYLSILOXY/SILICATE - PEG-10 DIMETHICONE - BUTYLENE GLYCOL - PHENYL TRIMETHICONE - DIMETHICONE COPOLYMER - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - SORBITAN SESQUISOESTEARATE - ISOPROPYL MYRISTATE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - NACRE POWDER - MAGNESIUM ALUMINOMETASILICATE - POLYQUATERNIUM-51 - THYMUS SERPYLLUM EXTRACT - SODIUM ACETYLATED HYALURONATE - ALUMINUM HYDROXIDE - STEARIC ACID - CYCLOPENTASILOXANE - DISTEARDIMONIUM HECTORITE - POLYMETHYLSILSESQUOXANE - POLYSILOXANE-2 - TRIMETHYLSILOXY/SILYL CARBAMOYL PULLULAN - LITHIUM MAGNESIUM SODIUM SILICATE - PEG/PPG-19/18 DIMETHICONE - CITRIC ACID - SODIUM CITRATE - BHT - SILICA - TOCOPHEROL - PHENOXYETHANOL - TITANIUM DIOXIDE - IRON OXIDES - MICA

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

16072-41-5040

AAA

420 Bronze

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 110 ALABASTER

octinoxate and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-484
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	

<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>LAPONITE</b> (UNII: D703131383)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>MICA</b> (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-484-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 120 IVORY

octinoxate and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-485
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SILODRATE (UNII: 9T3UU8T0QK)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-485-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 130 OPAL

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-486
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-486-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 140 PORCELAIN

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-487
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAPONITE (UNII: D703131383)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)

PHENOXYETHANOL (UNII: HE492ZZ3T)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSFERRIC OXIDE (UNII: XM0M87F357)

MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-487-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 150 LACE

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-488
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISOESTEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE;	



3:7) (UNII: EL9825H96J)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-488-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 160 SHELL

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-489
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAPONITE (UNII: D703131383)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-489-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 210 BIRCH**

octinoxate and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-490
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THI5PC10R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-490-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 220 LINEN

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-491
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

LAPONITE (UNII: D703131383)

PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSO FERRIC OXIDE (UNII: XM0M87F357)

MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-491-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 230 ALDER

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-492
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>LAPONITE</b> (UNII: D703131383)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>MICA</b> (UNII: V8A1AW0880)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-492-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 240 QUARTZ**  
 octinoxate and titanium dioxide emulsion

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-493
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-493-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 250 SAND

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-494
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYL CHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAPONITE (UNII: D703131383)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	



<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-494-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 260 CASHMERE

octinoxate and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-495
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUIISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	

THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-495-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 310 SILK

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-496
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAPONITE (UNII: D703131383)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-496-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 320 PINE

octinoxate and titanium dioxide emulsion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-497
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-497-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 330 BAMBOO

octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-498
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILODRATE (UNII: 9T3UU8T0QK)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYL CHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAPONITE (UNII: D703131383)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-498-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 340 OAK**  
octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-499
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SILODRATE (UNII: 9T3UU8T0QK)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-499-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 350 MAPLE**  
 octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-500
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	1.69 g in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	2.001 g in 30 mL	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
DIMETHICONE (UNII: 92RU3N3Y1O)				
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)				
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)				
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
SILODRATE (UNII: 9T3UU8T0QK)				
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)				
THYMUS SERPYLLUM (UNII: 86H4S6K51N)				
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)				
LAPONITE (UNII: D703131383)				
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROSFERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-500-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	



**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 360 CITRINE**

octinoxate and titanium dioxide emulsion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-501
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-50 1-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 410 SUNSTONE**  
 octinoxate and titanium dioxide emulsion

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-502
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL	

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>SORBITAN SESQUIISO STEARATE</b> (UNII: VU97D01BF9)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SILODRATE</b> (UNII: 9T3UU8T0QK)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>THYMUS SERPYLLUM</b> (UNII: 86H4S6K51N)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-502-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING FOUNDATION 420 BRONZE

octinoxate and titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-503
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.69 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.001 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	

WATER (UNII: 059QF0K00R)
GLYCERIN (UNII: PDC6A3C0OX)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
SORBITAN SESQUISOESTEARATE (UNII: VU97D01BF9)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SILODRATE (UNII: 9T3UU8T0QK)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LAPONITE (UNII: D703131383)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-503-10	1 in 1 CARTON	09/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	09/01/2019	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

SHISEIDO AMERICAS INC.	782677132	MANUFACTURE(58411-484, 58411-485, 58411-486, 58411-487, 58411-488, 58411-489, 58411-490, 58411-491, 58411-492, 58411-493, 58411-494, 58411-495, 58411-496, 58411-497, 58411-498, 58411-499, 58411-500, 58411-501, 58411-502, 58411-503) , ANALYSIS(58411-484, 58411-485, 58411-486, 58411-487, 58411-488, 58411-489, 58411-490, 58411-491, 58411-492, 58411-493, 58411-494, 58411-495, 58411-496, 58411-497, 58411-498, 58411-499, 58411-500, 58411-501, 58411-502, 58411-503)
------------------------	-----------	--

Revised: 2/2020

SHISEIDO AMERICAS CORPORATION