

**EXCHANGE SELECT DARK TANNING SUNSCREEN SPF 4- octocrylene lotion
ARMY AND AIR FORCE EXCHANGE SERVICE**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octocrylene 1.0%

Oxybenzone 0.5 %

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early aging.

For external use only. Do not use on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs.

Keep Out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients

Water, Petrolatum, Diisopropyl Adipate, Propylene Glycol, Polyglyceryl-3 Methylglucose Distearate, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Benzyl Alcohol, Theobroma Cacao (Cocoa) Seed Butter, Butyrospermum Parkii (Shea) Butter, Disodium EDTA, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice Powder, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Methylparaben, Propylparaben, Quaternium-15, Fragrance.

Principal Display Panel

exchange

select

X

Sunscreen lotion

4

SPF 4

Moisturing

Water Resistant

(80 Minutes)

8 FL. OZ. (236 mL)



Drug Facts	
Active Ingredients	Purpose
Octocrylene 1.0%, Oxybenzone 0.5%	Sunscreen
Uses • helps prevent sunburn	
Warnings	
<p>Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early aging.</p> <p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor	
Inactive Ingredients Water, Petrolatum, Diisopropyl Adipate, Propylene Glycol, Polyglyceryl-3 Methylglucose Distearate, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Benzyl Alcohol, Theobroma Cacao (Cocoa) Seed Butter, Butyrospermum Parkii (Shea Butter), Disodium EDTA, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice Powder, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Methylparaben, Propylparaben, Quaternium-15, Fragrance.	
Other information • protect this product from excessive heat and direct sun	
Questions or comments? Call 1-396-673-2024	
<p>"SATISFACTION GUARANTEED OR YOUR MONEY BACK" Manufactured For: Your Military Exchanges By: Alpha to Omega Ormond Beach, FL 32174 Made in USA</p>	

DASHED LINE INDICATES PRINT AREA (1/16TH IN. FROM DIELINE)

Questions or comments?

Call 1-396-673-2024

EXCHANGE SELECT DARK TANNING SUNSCREEN SPF 4

octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
PEG-100 STEARATE (UNII: YD01N1999R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
COCOA BUTTER (UNII: 512OYT1CRR)	
SHEA BUTTER (UNII: K49155WL9Y)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
QUATERNIUM-15 (UNII: E40U03LEM0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-005-16	226 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/25/2013	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Revised: 10/2013

ARMY AND AIR FORCE EXCHANGE SERVICE