

ALOCANE MAX- lidocaine hydrochloride and benzalkonium chloride liquid
Quest Products LLC

Alocane[®] Max Burn Pads

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic
Lidocaine HCL 4%	Topical Analgesic

Uses:

First aid to help prevent bacterial contamination or skin infection, and for temporary relief or pain and itching associated with minor:

- **Burns**
- **Cuts**
- **Sunburn**
- **Scrapes**
- **Minor Skin Irritations**

Warnings

For External Use Only.

Ask a doctor before use if you have:

- Deep or puncture wounds
- Animal Bites
- Serious burns

Do not use:

- In or near the eyes
- In large quantities or over large areas of the body
- On raw surfaces or blistered areas

Stop use and ask doctor: if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Clean affected area and let dry. Gently apply the Burn Pad over the burn or wound. Cover with adhesive tape or stretch gauze. Use on affected area not more than 3 or 4 times daily.

Children under 2 years of age: ask a doctor.

Other Information

Store at room temperature 15°-30°C (59°-86°F)

Inactive Ingredients

1,3-Propanediol, Aloe Barbadensis (Aloe) Leaf Juice, Caprylyl Glycol, Chlorphenesin, Dimethyl Isosorbide, Hydroxyethyl Cellulose, Phenoxyethanol, Tocopheryl Acetate (Vitamin E), Water.

PRINCIPAL DISPLAY PANEL - 10 Pad Carton

NEW FORMULA
now kills 99% of germs*

4% Lidocaine
Maximum Strength

**HOSPITAL
GRADE**

4% Lidocaine
Maximum Strength

**ALOCANE[®]
max**

**Emergency
Burn Pads
with Antiseptic**

- FAST MAXIMUM STRENGTH PAIN & ITCH RELIEF
- KILLS 99% OF GERMS*
- NO STING FORMULA
- FOR USE ON MINOR CUTS, SCRAPES AND BURNS

with Vitamin E

Recommended by
Physicians and Pharmacists

10 Individually Folded
2" x 4" Pads

Aloe

4% Lidocaine
Maximum Strength

**ALOCANE[®]
max**

CLEAN

Clean the burn area with mild soap and water.

COVER

Gently apply the Alocane[®] Max Pad over the burn or wound. Unfold Pads as necessary.

SECURE

Cover with adhesive tape or stretch gauze.

**ALOCANE[®]
max**

is recommended for First Degree Burns including:

- Flame
- Sun
- Electricity
- Light
- Heat
- Frictions

ALOCANE MAX

lidocaine hydrochloride and benzalkonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68229-407
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPANEDIOL (UNII: 5965N8W85T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
HYDROXYETHYL CELLULOSE (5500 MP.A.S AT 2%) (UNII: M825OX60H9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68229-407-02	10 in 1 CARTON	11/15/2023	
1	NDC:68229-407-01	3 mL in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:68229-407-03	12 in 1 CARTON	11/15/2023	
2	NDC:68229-407-01	3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/15/2023	

Labeler - Quest Products LLC (075402441)