# SUNSCREEN SPF 30- avobenzone, homosalate, octisalate, octocrylene lotion Broder Bros Prime Line

-----

**PC186** 

## **Drug Facts**

## Active ingredient

avobenzone (3%)

homosalate (10%)

octisalate (5%)

octocrylene (10%)

## **Purpose**

Sunscreen

**Use** • Helps prevent sunburn

## Warnings

**Skin Cancer/Skin Aging Alert**: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

## For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

**Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally for 15 minutes before sun exposure and as needed.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months of age: Ask a doctor.

## Inactive ingredients

Acrylate/Beheneth-25 Methacrylate Copolymer, Bisabolol, Caprylyl Glycol, Dimethicone, Disodium EDTA, Fragrance, Glycerin, Phenoxyethanol, Potassium Cetyl Phosphate, Triethanolamine, VP/Hexadecene Copolymer, Water

#### Other information

Protect the product in this container from excessive heat and direct sun.

## Questions?

**1-800-873-7746** M-F 8am-5pm EST

Sunscreen SPF30

**NET 2 FL OZ (60 ML)** 

Made in China

Dist. By Broder Bros. Co., dba alphabroder

Gaffney, SC 29341

Lot no: Use by:

## Sunscreen SPF30 NET 2 FL OZ (60 ML)

## Drug Facts

## Active ingredient

avobenzone (3%) homosalate (10%)

octisalate (5%) octocrylene (10%)

## Purpose

.Sunscreen

#### Use · Helps prevent sunburn

### Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

#### For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally for 15 minutes before sun exposure and as needed.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months of age: Ask a doctor.

### Inactive ingredients

Acrylate/Beheneth-25 Methacrylate Copolymer, Bisabolol, Caprylyl Glycol, Dimethicone, Disodium EDTA, Fragrance, Glycerin, Phenoxyethanol, Potassium Cetyl Phosphate, Triethanolamine, VP/Hexadecene Copolymer, Water

#### Other information

Protect the product in this container from excessive heat and direct sun.

### Questions?

1-800-873-7746 M-F 8am-5pm EST

Made in China

Dist. By Broder Bros. Co., dba alphabroder

Gaffney, SC 29341

Lot no.: P Use by:

### **SUNSCREEN SPF 30**

avobenzone, homosalate, octisalate, octocrylene lotion

| <b>Product</b> | Inform | ation |
|----------------|--------|-------|
| rioduct        |        | ation |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71513-508

Route of Administration TOPICAL

| Active Ingredient/Active Moiety                                |                          |                |  |  |
|--|--------------------------|----------------|--|--|
| Ingredient Name  | <b>Basis of Strength</b> | Strength       |  |  |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE              | 100 mg in 1 mL |  |  |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)  | HOMOSALATE               | 100 mg in 1 mL |  |  |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE               | 50 mg in 1 mL  |  |  |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE               | 30 mg in 1 mL  |  |  |

| Inactive Ingredients                                     |          |  |
|--|----------|--|
| Ingredient Name  | Strength |  |
| LEVOMENOL (UNII: 24WE03BX2T)                             |          |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                           |          |  |
| WATER (UNII: 059QF0KO0R)                                 |          |  |
| VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9) |          |  |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U)                       |          |  |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)            |          |  |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)                        |          |  |
| TROLAMINE (UNII: 903K93S3TK)                             |          |  |
| GLYCERIN (UNII: PDC6A3C0OX)                              |          |  |
| POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)             |          |  |

| l | Packaging |                      |  |                         |                       |
|---|-----------|----------------------|--|-------------------------|-----------------------|
|   | #         | Item Code            | Package Description                                  | Marketing Start<br>Date | Marketing End<br>Date |
|   | 1         | NDC:71513-508-<br>03 | 60 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/21/2021              |                       |

| Marketing Information |   |                         |                       |
|-----------------------|---|-------------------------|-----------------------|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC Monograph Drug    | M020  | 01/21/2021              |                       |
|                       |   |                         |                       |

# **Labeler -** Broder Bros Prime Line (107044246)

Revised: 11/2023 Broder Bros Prime Line