

**SUNSCREEN SPF 30- avobenzene, homosalate, octisalate, octocrylene lotion  
Broder Bros Prime Line**

-----  
**PC186**

***Drug Facts***

***Active ingredient***

avobenzene (3%)

homosalate (10%)

octisalate (5%)

octocrylene (10%)

***Purpose***

Sunscreen

***Use*** • Helps prevent sunburn

***Warnings***

***Skin Cancer/Skin Aging Alert:*** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

***For external use only.***

***Do not use*** on damaged or broken skin.

***Stop use and ask a doctor if*** rash occurs.

***When using this product*** keep out of eyes. Rinse with water to remove.

***Keep out of reach of children.*** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally for 15 minutes before sun exposure and as needed.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months of age: Ask a doctor.

***Inactive ingredients***

Acrylate/Beheneth-25 Methacrylate Copolymer, Bisabolol, Caprylyl Glycol, Dimethicone, Disodium EDTA, Fragrance, Glycerin, Phenoxyethanol, Potassium Cetyl Phosphate, Triethanolamine, VP/Hexadecene Copolymer, Water

***Other information***

Protect the product in this container from excessive heat and direct sun.

**Questions?**

**1-800-873-7746** M-F 8am-5pm EST

**Sunscreen *SPF30***

**NET 2 FL OZ (60 ML)**

Made in China

Dist. By Broder Bros. Co., dba alphabroder

Gaffney, SC 29341

Lot no: Use by:

**Sunscreen SPF30  
NET 2 FL OZ (60 ML)**

**Drug Facts**

<i>Active ingredient</i>	<i>Purpose</i>
avobenzone (3%) homosalate (10%) octisalate (5%) octocrylene (10%)	.....Sunscreen

**Use** • Helps prevent sunburn

**Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**Stop use and ask a doctor if** rash occurs.

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally for 15 minutes before sun exposure and as needed.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months of age: Ask a doctor.

**Inactive ingredients**

Acrylate/Beheneth-25 Methacrylate Copolymer, Bisabolol, Caprylyl Glycol, Dimethicone, Disodium EDTA, Fragrance, Glycerin, Phenoxyethanol, Potassium Cetyl Phosphate, Triethanolamine, VP/Hexadecene Copolymer, Water

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Questions?**

1-800-873-7746 M-F 8am-5pm EST

Made in China

Dist. By Broder Bros. Co., dba alphabroder  
Gaffney, SC 29341

Lot no.: P

Use by:

**SUNSCREEN SPF 30**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71513-508
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>PHENOXYETHANOL</b> (UNII: HIE49ZZZ3T)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71513-508-03	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/21/2021	06/30/2026

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/21/2021	06/30/2026

**Labeler** - Broder Bros Prime Line (107044246)

Revised: 11/2025

Broder Bros Prime Line