

RITE AID RYSHI SUNSCREEN WITH HYALURONIC ACID AND COLLAGEN BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, octocrylene spray
Rite Aid

Rite Aid Ryshi Sunscreen with Hyaluronic Acid and Collagen Broad Spectrum SPF 50 Continuous Sunscreen Spray

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
 - children under 6 months of age: Ask a doctor
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

☐ Inactive Ingredients

SD ALCOHOL 40-B, BUTYLOCTYL SALICYLATE, FRAGRANCE, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, ALOE BARBADENSIS LEAF JUICE, BUTYLENE GLYCOL, SACCHAROMYCES/ PODOPHYLLUM PELTATUM FERMENT FILTRATE, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, PANTHENOL, PERSEA GRATISSIMA (AVOCADO) OIL, VITIS VINIFERA (GRAPE) SEED OIL, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, COCOS NUCIFERA (COCONUT) OIL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, STEAROXYTRIMETHYLSILANE, TOCOPHEROL, HYDROLYZED COLLAGEN, HYDROLYZED HYALURONIC ACID.

Label

HYPOALLERGENIC • DERMATOLOGIST TESTED

Ryshi™ Sunscreen Spray provides broad spectrum protection from harmful UVA/UVB rays. Featuring hyaluronic acid to help skin retain moisture and collagen to help prevent premature skin-aging, this lightweight moisturizing sunscreen is specially formulated for sensitive skin with no octinoxate, oxybenzone or parabens*.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 4%	Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches away from the skin to apply • do not spray directly into face. Spray into hands then apply to face • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/octylacrylamide copolymer, aloe barbadensis leaf juice, butylene glycol, butylcetyl salicylate, caprylic/capric triglyceride, cocos nucifera (coconut) oil, daucus carota sativa (carrot) extract, fragrance, glycerin, hydrolyzed collagen, hydrolyzed hyaluronic acid, panthenol, persea gratissima (avocado) oil, saccharomyces/pedophyllum peltatum ferment filtrate, SD alcohol 40-8, simmondsia chinensis (jojoba) seed oil, stearyltrimethylsilane, tocopherol, vitis vinifera (grape) seed oil, water.	

*No parabens separately added to preserve this product.

DISTRIBUTED BY:
RITE AID
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

**TIME TO SHINE
GUARANTEE**
IF YOU ARE NOT SATISFIED, WE
WILL HAPPILY REFUND YOUR MONEY



SUNSCREEN
WITH HYALURONIC ACID
& COLLAGEN

50

BROAD SPECTRUM SPF 50

WATER RESISTANT
(80 MINUTES)

HELPS REPLENISH YOUR
SKIN'S NATURAL
MOISTURE BARRIER

RYSHI™

NET WT 5.5 OZ (156 g)

RITE AID RYSHI SUNSCREEN WITH HYALURONIC ACID AND COLLAGEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BOVINE TYPE I COLLAGEN (UNII: FHJ3ATL51C)	
PODOPHYLLUM (UNII: 2S713A4VP3)	
WATER (UNII: 059QF0KO0R)	
CARROT (UNII: L56Z1JK48B)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: WW9CM0O67Z)	
JOJOBA OIL (UNII: 724GKU717M)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
COCONUT OIL (UNII: Q9L0O73W7L)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0027-1	156 g in 1 CAN; Type 0: Not a Combination Product	12/23/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/23/2022	

Labeler - Rite Aid (014578892)

