

**RITE AID MINERAL SENSITIVE SKIN ZINC OXIDE SUNSCREEN FOR FACE SPF 50-
zinc oxide lotion
Rite Aid**

Rite Aid Mineral Sensitive Skin Zinc Oxide Sunscreen Lotion For Face SPF 50

Active ingredients

Zinc Oxide 21.6%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, cetyl PEG/PPG-10/1 dimethicone, octyldodecyl citrate crosspolymer, phenyl trimethicone, dimethicone, polyhydroxystearic acid, glycerin, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin

Label

Rite Aid®FACE Mineral Sunscreen Lotion provides water-resistant broad-spectrum UVA & UVB sun protection without harsh chemicals. This zinc oxide formula features soothing oats that help moisturize skin. This easy-on, lightweight formula can be used prior to applying makeup and is designed for sensitive skin.

Drug Facts	
Active ingredient Zinc Oxide 21.6%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only Do not use • on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally and evenly 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain some fabrics	
Inactive ingredients avena sativa (oat) kernel flour, bis-vinyl dimethicone / PEG-10 dimethicone crosspolymer, C12-15 alkyl benzoate, caprylic/capric triglyceride, caprylyl glycol, cetyl dimethicone, cetyl PEG/PPG-10/1 dimethicone, chlorphenesin, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, dimethicone, ethyl methicone, glycerin, glyceryl behenate, octyldodecyl citrate crosspolymer, phenethyl alcohol, phenoxyethanol, phenyl trimethicone, polyhydroxystearic acid, silica, sodium chloride, styrene/acrylates copolymer, water.	

DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS, ETTERS, PA 17319 www.riteaid.com

Paraben Free* & Fragrance free
Free of chemical sunscreens
Dermatologist tested
Hypoallergenic



*No parabens separately added to preserve this product. 0

RITE AID MINERAL SENSITIVE SKIN ZINC OXIDE SUNSCREEN FOR FACE SPF 50
zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0052
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	216 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: X323T6QO4M)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYL METHICONE (8 MPA.S) (UNII: 3YWG8XYT8H)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
OATMEAL (UNII: 8PI54V663Y)	
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0052-1	89 mL in 1 TUBE; Type 0: Not a Combination Product	12/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/21/2022	

Labeler - Rite Aid (014578892)

Revised: 11/2023

Rite Aid