

**FOLARTEX- multivitamin tablet**  
**Oncora Pharma, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Folarex**

**Folarex**

**DESCRIPTION**

Folarex is a prescription multivitamin/multimineral dietary supplement.

<b>SUPPLEMENT FACTS</b>		
<i>Servingsize</i>		<i>1 tablet</i>
<i>Amount per serving:</i>		<i>% Daily Value</i>
Vitamin A (as Beta-Carotene)	300 mcg RAE	33%
Vitamin C (as Ascorbic Acid)	60mg	67%
Vitamin D (as Cholecalciferol)	10mcg	50%
Vitamin E (as di-Alpha Tocopherol Acetate)	4.5 mg (10 IU)	33%
Vitamin B6 (as Pyridoxine HCl)	26mg	1529%
Biotin	0.280mg	933%
Folate	1.67 mg DFE	418%
(from Folic Acid)	0.67 mg DFE	
(from 5 Methyl Tetrahydrofolate Calcium Salt)	1 mg DFE	
Vitamin B12 (as Cyanocobalamin)	0.013 mg	542%
Calcium (as Calcium Carbonate)	80 mg	6%
Magnesium (as Magnesium Oxide)	25mg	6%
Ferrochel™	20mg	111mg
Iodine (as Potassium Iodide)	0.150mg	100%

Other Ingredients: Microcrystalline Cellulose, Maltodextrin, Croscarmellose Sodium, Silicon Dioxide, Stearic Acid, Magnesium Stearate, Film Coating (Hydroxypropyl Methylcellulose, Polyethylene Glycol, Titanium Dioxide, FD&C Blue# 1

**INDICATIONS AND USAGE**

Folarex is a prescription multivitamin/multi-mineral dietary supplement formulated for the clinical dietary management of a suboptimal nutritional status in patients where advanced folate, vitamin B supplementation, and maintenance of good health is needed.

**CONTRAINDICATIONS**

Folarex is contraindicated in patients with a known hypersensitivity to any of the ingredients.

## **PRECAUTIONS**

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B 12 deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

## **WARNINGS**

**WARNING** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In the case of accidental overdose, call a doctor or poison control center immediately.

## **ADVERSE REACTIONS**

Allergic sensitization has been reported following both oral and parenteral administration of folic acid. You should call your doctor for medical advice about serious adverse events. To report adverse side effects or to obtain product information, contact Oncora Pharma at 888-321-2821.

## **DOSAGE AND ADMINISTRATION**

One tablet daily or as directed by a physician.

## **HOW SUPPLIED**

Bottles of 30 Tablets (85477-901-30). Tablet is tan, oblong.

## **STORAGE**

**STORAGE:** Store at 20- 25 degree C (68-77 F) excursions permitted to 15-30 degree C (59-86 F) {See USP controlled Room Temperature} Avoid excessive heat, light and moisture.

**TAMPER EVIDENT:** Do not use if seal is broken or missing. MADE IN USA

Distributed by:

888-321-2821

Oncora Pharma Dallas, TX 75161

## **PRINCIPAL DISPLAY PANEL**

85477-511-30

Folarex

MULTIVITAMIN

30 TABLETS

85477-511-30



**Folarex™**

**MULTIVITAMIN**

**30 TABLETS**



Dispensed by Prescription

**DOSAGE AND ADMINISTRATION:**  
Usual adult dosage is 1 tablet taken orally once daily or as prescribed by a licensed medical practitioner.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.



8547-7000-09 9

peel here

hinge area - does not print

SUPPLEMENT FACTS		
Serving size		1 tablet
Amount per serving:		% Daily Value
Vitamin A (as Beta-Carotene)	300 mcg RAE	33%
Vitamin C (as Ascorbic Acid)	60 mg	67%
Vitamin D (as Cholecalciferol)	10 mcg	50%
Vitamin E (as dl-Alpha Tocopherol Acetate)	4.5 mg (10 IU)	33%
Vitamin B6 (as Pyridoxine HCl)	26 mg	1520%
Biotin	0.280 mg	303%
Folate	1.67 mg DFE	418%
(from Folic Acid)	0.67 mg DFE	17%
(from 5-Methyl Tetrahydrofolate Calcium Salt)	1 mg DFE	25%
Vitamin B12 (as Cyanocobalamin)	0.013 mg	342%
Calcium (as Calcium Carbonate)	80 mg	6%
Magnesium (as Magnesium Oxide)	25 mg	6%
Ferrous <sup>TM</sup>	20 mg	111mg
Iron (as Ferrous Sulfate)	0.150 mg	100%

Other Ingredients: Microcrystalline Cellulose, Maltodextrin, Croscarmellose Sodium, Silicon Dioxide, Stearic Acid, Magnesium Stearate, Film Coating: Polyvinylpyrrolidone, Polyethylene Glycol, Titanium Dioxide, FD&C Blue # 1

Oncora Pharma, LLC

## FOLARTEX

multivitamin tablet

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:85477-511
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BETA CAROTENE</b> (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	300 ug
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	60 mg
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	10 ug
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	4.5 mg
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	26 mg
<b>BIOTIN</b> (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)	BIOTIN	0.28 mg
<b>FOLIC ACID</b> (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1.67 mg
<b>CYANOCOBALAMIN</b> (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	0.013 mg
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CATION	80 mg
<b>MAGNESIUM OXIDE</b> (UNII: 3A3U0G171G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	25 mg
<b>FERROUS BISGLYCINATE</b> (UNII: SFW1D987QV) (FERROUS CATION -	FERROUS CATION	20 mg

UNII:GW89581OWR)	FERROUS CATION	20 mg
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	0.15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>HYDROXYPROPYL METHYLCELLULOSE</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL 1000</b> (UNII: U076Q6Q621)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	

### Product Characteristics

<b>Color</b>	brown (tan)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Oblong)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85477-511-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	02/23/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/23/2026	

**Labeler** - Oncora Pharma, LLC (119482542)