# RITE AID MINERAL SUNSCREEN BROAD SPECTRUM SPF 50- titanium dioxide, zinc oxide lotion Rite Aid

-----

# Rite Aid Mineral Sunscreen Lotion Broad Spectrum SPF 50

## Active ingredients

Titanium Dioxide 3.0% Zinc Oxide 15.0%

### **Purpose**

Sunscreen

#### Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

# For external use only

#### Do not use

• on damaged or broken skin

# When using this product

keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor if

rash occurs

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

#### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

# Inactive ingredients

Water, Caprylic/Capric Triglyceride, Neopentyl Glycol Diheptanoate, Butyloctyl Salicylate, Glycerin, Olive Oil Polyglyceryl-6 Esters, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Phenoxyethanol, Polyglyceryl-6 Pentaoleate, Stearyl/Octyldodecyl Citrate Crosspolymer, VP/Hexadecene Copolymer, Glyceryl Stearate, Magnesium Sulfate, Silica, Simmondsia Chinensis (Jojoba) Seed Oil, Ethylhexylglycerin, Aloe Barbadensis Leaf Juice, Avena Sativa (Oat) Kernel Extract, Tocopherol, Sodium Hydroxide.

#### Label



Rite Aid®Mineral Sunscreen Lotion provides a physical layer of broad-spectrum protection from the sun's harmful UVA/UVB rays. This easy-on, mineral-based sunscreen lotion is sheer, lightweight and dries clear and quickly.

#### Drug Facts Active ingredients Purpose Titanium Dioxide 3.0% Sunscreen Zinc Oxide 15.0%

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally and evenly 15 minutes before sun exposure reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain some fabrics

Inactive ingredients aloe barbadensis leaf juice, avena sativa (oat) kernel extract, butyloctyl salicylate, C30-38 olefinylsopropyl maleate/MA copolymer, caprylic/capric triglyceride, lethylhexylglycerin, glycerin, glyceryl stearate, magnesium sulfate, neopentyl glycol diheptanoate, olive oli polyglyceryl-6 esters, phenoxyethanol, polyglyceryl-6 pentaoleate, silica, simmondsia chinensis (jojoba) seed oil, sodium hydroxide, stearyl/octyldodecyl citrate crosspolymer, tocopherol, VP/hexadecene copolymer, water.

\*No parabens separately added to preserve this product.

# DISTRIBUTED BY:

RITE AID 200 NEWBERRY COMMONS ETTERS, PA 17319 www.riteaid.com





### RITE AID MINERAL SUNSCREEN BROAD SPECTRUM SPF 50

titanium dioxide, zinc oxide lotion

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:11822-0053

**Route of Administration TOPICAL** 

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	150 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	30 mg in 1 mL

#### **Inactive Ingredients**

Ingredient Name	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
OLIVE OIL POLYGLYCERYL-6 ESTERS (UNII: 4KDO9AFM9I)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
OATMEAL (UNII: 8PI54V663Y)	
JOJOBA OIL (UNII: 724GKU717M)	
STEARYL/OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: PN88NW0KPK)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

I	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:11822- )053-1	170 mL in 1 TUBE; Type 0: Not a Combination Product	12/21/2022	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	09/22/2020		

# **Labeler -** Rite Aid (014578892)

Revised: 11/2023 Rite Aid