PHILLIPS ORIGINAL MILK OF MAGNESIA- phillips original milk of magnesia liquid Bayer HealthCare LLC.

Phillips' Milk of Magnesia-Original

Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Saline laxative

Use

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use the dosing cup provided

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each (15 mL) contains: magnesium 500 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)



PHILLIPS ORIGINAL MILK OF MAGNESIA phillips original milk of magnesia liquid Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0280-0030

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		

Product Characteristics		
Color	white	Score
Shape		Size
Flavor		Imprint Code
Contains		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0280- 0030-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/16/2014			
2	NDC:0280- 0030-26	769 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/16/2014			
3	NDC:0280- 0030-04	1 in 1 CARTON	12/16/2014			
3		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	12/16/2014		

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 11/2023 Bayer HealthCare LLC.