

**PHILLIPS FRESH MINT MILK OF MAGNESIA- phillips fresh mint milk of
magnesia liquid
Bayer HealthCare LLC.**

PHILLIPS FRESH MINT MILK OF MAGNESIA LIQUID

Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Saline laxative

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use the dosing cup provided
- mL = milliliter

adults and children 12 years and older
children 6 to 11 years

30 mL to 60 mL
15 mL to 30 mL

Other information

- **each (15 mL)contains:** magnesium 500 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients

flavor, mineral oil, purified water, saccharin sodium, sodium hypochlorite

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

NATURALLY
SOURCED
MAGNESIUM

Phillips'
Magnesium Hydroxide 1200 mg per 15 mL

26 FL OZ (769 mL)

Saline Laxative
**milk of
magnesia**



fresh mint

Gentle relief in as
little as 30 minutes

PURCHASE ONLY IF NECKBAND PRINTED WITH
" ~ cramp free ~ stimulant free ~ " IS INTACT.

26 FL OZ (769 mL)

Sugar
Free



Drug Facts

Active ingredient (in each 15 mL)	Purpose
Magnesium hydroxide 1200 mg.....	Saline laxative

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings


Do not use if you have ever had an allergic reaction to this product or any of its ingredients



Dist. by:
Bayer HealthCare LLC
Whippany, NJ 07981

Bayer

Bayer, the Bayer Cross, Phillips' and Phillips' Milk of Magnesia design are registered trademarks of Bayer.



**LOT
EXP**

Drug Facts (continued)

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use dosing cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL contains:** magnesium 500 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients flavor, mineral oil, purified water, saccharin sodium, sodium hypochlorite

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

PHILLIPS FRESH MINT MILK OF MAGNESIA

phillips fresh mint milk of magnesia liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-0031
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients	
Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-0031-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2014	
2	NDC:0280-0031-26	769 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2014	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/16/2014	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.