# COPPERTONE TANNING SUNSCREEN SPF 15- (to deliver) avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol Beiersdorf Inc

-----

# **Tanning Spray SPF 15**

### **Drug Facts**

## Active ingredients

(To Deliver) Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%

## **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

# Warnings

# For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

# When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

# Stop use and ask a doctor if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

■ shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

# Inactive ingredients

SD alcohol 40-B (49.3% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, fragrance

# Questions?

1-866-288-3330



# Coppertone.



# TANNING

15

MOISTURIZES SKIN FOR A RADIANT TAN

Lightweight, non-greasy

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes) Broad Spectrum SPF 15

NET WT 8.3 OZ (235 g)

Broad Spectrum UVA/UVB protection, Lightweight Feel - Moisturizes all day\*

#### **Drug Facts Active ingredients**(To Deliver) Avobenzone 2%, Octisalate 4.5%, Octocrylene 7% Purpose Sunscreen helps prevent sunburn if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun For external use only Flammable: Do not use near heat, flame, or while smoking Do not use on damaged or broken skin When using this product ■ keep away from face to avoid breathing it keep out of eyes. Binse with water to remove use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Directions ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do no spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into face. Spray on hands then apply to face. spray directly into fa protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor Other information ■ protect this product from excessive heat and direct sun ■ store between 20° to 25°C (68° to 77°F) ■ may stain or damage some fabrics or surfaces **Inactive ingredients** SD alcohol 40-B (49.3% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, Questions? 1-866-288-3330 \*For sun protection, use as directed. www.coppertone.com $\infty$ DOT-2P M5655 Beiersdorf 1 Beiersdorf Inc. Stamford, CT 06901 ®=reg. TM. of Beiersdorf AG, Germany METAL

CAN

Coppertone Sunscreen Spray

Tanning 15

Moisturizes Skin for a Radiant Tan

Lightweight, non-greasy

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

**Broad Spectrum SPF 15** 

# **COPPERTONE TANNING SUNSCREEN SPF 15**

(to deliver) avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:66800-5082

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2 g in 100 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
POLYESTER-7 (UNII: 0841698D2F)	
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	

Product Characteristics			
Color	white (White to Clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:66800- 5082-5	156 g in 1 CAN; Type 0: Not a Combination Product	12/14/2023	

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/14/2023		

# Labeler - Beiersdorf Inc (001177906)

Revised: 10/2024 Beiersdorf Inc