

**COPPERTONE KIDS SUNSCREEN SPF 50- (to deliver) avobenzone 3%, homosalate 5%, octisalate 10%, octocrylene 5% spray**  
**Beiersdorf Inc**

-----  
**Coppertone Kids Spray SPF 50**

***Drug Facts***

***Active ingredients***

(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Flammable:**Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance

### ***Questions?***

1-866-288-3330

Copperton Sunscreen Spray

Kids 50

Says on Strong Even in Water Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

25%  
MORE

BONUS 6.9 oz  
vs 5.5 oz

Coppertone®  
SUNSCREEN SPRAY



KiDs

50

STAYS ON STRONG  
EVEN IN WATER

Free of Oxybenzone,  
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)  
Broad Spectrum SPF 50

NET WT 6.9 OZ (196 g)

Broad Spectrum UVA/UVB protection in a durable formula that keeps up with active kids. #1 Pediatrician Recommended Sunscreen Brand.

**Drug Facts**

**Active ingredients** (To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5% .....Sunscreen **Purpose**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable:** Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

**Inactive ingredients**

SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance

**Questions?** 1-866-288-3330



**COPPERTONE KIDS SUNSCREEN SPF 50**

(to deliver) avobenzone 3%, homosalate 5%, octisalate 10%, octocrylene 5% spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-5353
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	

## Product Characteristics

<b>Color</b>	white (White to Clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66800-5353-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/30/2023	
2	NDC:66800-5353-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/30/2023	
3	NDC:66800-5353-7	235 g in 1 CAN; Type 0: Not a Combination Product	11/30/2023	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020	11/30/2023	

