

MIRALAX ORANGE FLAVOR- polyethylene glycol 3350 powder, for solution
Bayer HealthCare LLC.

MiraLAX[®] Orange Flavor

Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert

Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor of pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or you nausea, bloating or cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away(1-800-222-1222).

Directions (Bottle Only)

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - do not combine with starch-based thickeners used for difficulty swallowing
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

natural and artificial orange flavor, sucralose

Questions or comments?

1-800-MiraLAX (1-800-647-2529)

PRINCIPAL DISPLAY PANEL - 7 Dose Bottle

MiraLAX ®

Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

Relieves Occasional Constipation/Irregularity

Softens Stool

Grit-Free Powder

Sugar-Free & Dye-Free

ORANGE FLAVOR

7 ONCE-DAILY DOSES

NET WT 4.1 OZ (119 g)

Bayer



Peel Here

0 4 1100 60055 4

Drug Facts

Active ingredient (in each dose) Purpose
 Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative

Use ■ relieves occasional constipation (irregularity)
 ■ generally produces a bowel movement in 1 to 3 days

Warnings
Allergy alert: Do not use if you are allergic to polyethylene glycol
 Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking ■ a prescription drug

MiralAX[®] increases frequency of bowel movements and softens the stool. Dissolves in Any Beverage

C00012500 Bayer

EXP. LOT

7U4D4 BY B1

Drug Facts (continued)

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F) ■ tamper-evident; do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients natural and artificial orange flavor, sucralose

Questions or comments? 1-800-MiralAX (1-800-647-2520)

† Bayer, the Bayer Cross, and MiralAX are registered trademarks of Bayer.
 © 2022 Bayer. Pat. pending. www.bayer.com
 Dist. By: Bayer Healthcare LLC, Whippany, NJ 07981



MIRALAX ORANGE FLAVOR

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0122
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	white (White or almost white solid with a waxy or paraffin-like appearance)	Score	
--------------	---	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0122-2	119 g in 1 BOTTLE; Type 0: Not a Combination Product	09/15/2023	
2	NDC:11523-0122-1	238 g in 1 BOTTLE; Type 0: Not a Combination Product	09/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	09/15/2023	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.