

BACITRACIN- bacitracin ointment
H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB Bacitracin Ointment Drug Facts

Active ingredient (each gram contains)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Bacitracin Ointment

First Aid Antibiotic

Bacitracin Ointment

NET WT. 1 OZ (28g)

First Aid Antibiotic

H-E-B Bacitracin Ointment

First Aid Antibiotic

Helps Prevent Infection in Minor:
Cuts • Scrapes • Burns

NDC 37808-536-64

H-E-B Bacitracin Ointment

NET WT. 1 OZ (28g)

First Aid Antibiotic

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

1510

100% GUARANTEE promise
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.



Drug Facts
Bacitracin 500 units.....First aid antibiotic

Active ingredient (each gram contains)

Uses First aid to help prevent infection in minor cuts ■ scrapes ■ burns

Warnings
For external use only
Do not use
■ in the eyes
■ over large areas of the body
■ if you are allergic to any of the ingredients
Ask a doctor before use if you have
■ deep or puncture wounds
■ animal bites
■ serious burns

Directions
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
■ apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage
■ rub or other allergic reaction develops
■ you need to use longer than 1 week
■ you need to use longer than 1 week
■ you need to use longer than 1 week
■ you need to use longer than 1 week

Purpose

Drug Facts (continued)
Stop use and ask a doctor if
■ you need to use longer than 1 week
■ you need to use longer than 1 week
■ you need to use longer than 1 week
■ you need to use longer than 1 week

Other information ■ store at 20°-25°C (68°-77°F)

Inactive ingredients light mineral oil, white petrolatum

Questions or comments? 1-800-719-9260

BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-536
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USPU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-536-64	1 in 1 CARTON	06/15/1991	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	06/15/1991	

Labeler - HEB (007924756)

Revised: 12/2019

HEB