

PHILLIPS MILK OF MAGNESIA WILD CHERRY- phillips milk of magnesia wild cherry liquid
Bayer HealthCare LLC.

PHILLIPS' MILK OF MAGNESIA WILD CHERRY LIQUID

Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Saline laxative

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use the dosing cup provided
- mL = milliliter

adults and children 12 years and older

30 mL to 60 mL

children 6 to 11 years
children under 6 years

15 mL to 30 mL
ask a doctor

Other information

- **each (15 mL) contains:** magnesium 500 mg, sodium 3 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F) . Avoid freezing. Close cap tightly after use.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, D&C red #28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)


NATURALLY
SOURCED
MAGNESIUM

Phillips'
Magnesium Hydroxide 1200 mg per 15 mL



Saline Laxative

**milk of
magnesia**



wild cherry

**Gentle relief in as
little as 30 minutes**

PURCHASE ONLY IF NECKBAND PRINTED WITH
" ~ cramp free ~ stimulant free ~ " IS INTACT.

26 FL OZ (769 mL)

Alcohol
0.45%



Drug Facts

| Active ingredient (in each 15 mL) | Purpose |
|--------------------------------------|-----------------|
| Magnesium hydroxide 1200 mg..... | Saline laxative |

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients



Dist. by:
Bayer HealthCare LLC
Whippany, NJ 07981

Bayer

Bayer, the Bayer Cross, Phillips' and Phillips' Milk of Magnesia design are registered trademarks of Bayer.



3 12843 39325 7

LOT
EXP

Drug Facts (continued)

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use dosing cup provided
- mL = milliliter

| | |
|--|----------------|
| adults and children 12 years and older | 30 mL to 60 mL |
| children 6 to 11 years | 15 mL to 30 mL |
| children under 6 years | ask a doctor |

Other information

- **each 15 mL contains:** magnesium 500 mg, sodium 3 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients anhydrous citric acid, carboxymethylcellulose sodium, D&C red #28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

PHILLIPS MILK OF MAGNESIA WILD CHERRY

phillips milk of magnesia wild cherry liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0280-0032 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------|---------------------|
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM HYDROXIDE | 1200 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| D&C RED NO. 28 (UNII: 767IP0Y5NH) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM HYPOCHLORITE (UNII: DY38VHM5OD) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0280-0032-26 | 769 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/17/2014 | |
| 2 | NDC:0280-0032-12 | 355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/17/2014 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 12/17/2014 | |

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 4/2025

Bayer HealthCare LLC.