

**ALLERGY RELIEF- acetaminophen, diphenhydramine hcl, phenylephrine
hcl tablet, film coated
Walgreen Company**

Walgreens 44-543 AR

Active ingredients (in each caplet)

Acetaminophen 325 mg
Diphenhydramine HCl 25 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
 - headache
 - nasal congestion
 - sneezing
 - runny nose
 - sinus congestion and pressure
 - itchy, watery eyes
 - itching of the nose or throat
 - minor aches and pains

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- thyroid disease
- diabetes

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED†

Allergy Relief

ALLERGY & SINUS HEADACHE

ACETAMINOPHEN / PAIN RELIEVER

DIPHENHYDRAMINE HCl / ANTIHISTAMINE

PHENYLEPHRINE HCl / NASAL DECONGESTANT

Maximum Strength

- Relief of headache, sinus congestion, sinus pain & pressure, runny nose, sneezing, itchy throat & itchy, watery eyes

20 CAPLETS

ACTUAL SIZE

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2025 Walgreen Co.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS

**OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

NDC 0363-5430-09

50844 REV0825A54309

†Our pharmacists
recommend the
Walgreens brand.



Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2025 Walgreen Co.

NO PRINT/VARNISH
LOT & EXP DATE ONLY

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg, Pain reliever
Diphenhydramine HCl 25 mg, Antihistamine
Pseudoephedrine HCl 5 mg, Nasal decongestant

Uses

temporarily relieves these symptoms of hay fever or other upper respiratory allergies: ■ headache ■ sneezing ■ runny nose ■ nasal congestion ■ sinus congestion and pressure ■ itching of the nose or throat ■ minor aches and pains

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ with any other product containing diphenhydramine, even one used on skin ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Drug Facts (continued)

■ **PAPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTER IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients corn starch, croscarmellose

Drug Facts (continued)

Ask a doctor before use if you have ■ high blood pressure ■ glaucoma ■ heart disease ■ difficulty in urination due to enlargement of the prostate gland ■ breathing problem such as emphysema or chronic bronchitis ■ liver disease ■ thyroid disease ■ diabetes

When using this product

■ Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers ■ taking respiratory allergies ■ headache ■ sneezing ■ runny nose ■ nasal congestion ■ sinus congestion and pressure ■ itching of the nose or throat ■ minor aches and pains ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

■ new symptoms occur ■ redness or swelling is present ■ fever gets worse or lasts more than 3 days ■ pain or nasal congestion gets worse or lasts more than 7 days ■ nervousness, dizziness, or sleepiness occur ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed ■ adult and children 12 years and over ■ take 2 caplets every 4 hours ■ do not take more than 10 caplets in 24 hours ■ children under 12 years: ask a doctor

Other information

■ see end flap for expiration date and lot number

Drug Facts (continued)

sodium, croscarmellose, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, polyvinylpyrrolidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

(Questions or comments? 1-800-426-9391)

Walgreens



Allergy Relief

Walgreens



Allergy Relief

**ALLERGY & SINUS HEADACHE
ACETAMINOPHEN / PAIN RELIEVER
DIPHENHYDRAMINE HCl / ANTIHISTAMINE
PHENYLEPHRINE HCl / NASAL DECONGESTANT**


Maximum Strength

W3OR0821-F2
REV: 1125

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 NDC 0883-5430-09
REV0825A54309

ITEM 555466 W00000-0000-0



B-2201-543-09-HR
REV0825A54309



Walgreens 44-543

ALLERGY RELIEF

acetaminophen, diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-5430
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	44;543
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5430-09	2 in 1 CARTON	11/04/2021	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/04/2021	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-5430) , pack(0363-5430)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-5430)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-5430)

Revised: 12/2025

Walgreen Company