

**FOSTER AND THRIVE PAIN RELIEVER- acetaminophen suppository**  
**Strategic Sourcing Services LLC**

-----  
**McKesson Pain Reliever Drug Facts**

**Active ingredient (in each rectal suppository)**

Acetaminophen 120 mg

**Purposes**

Pain reliever/fever reducer

**Uses**

temporarily

- reduces fever
- relieves minor aches, pains, and headache

**Warnings**

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**For rectal use only**

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if**

- the child has liver disease
- the child is taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- fever lasts more than 3 days (72 hours), or recurs
- pain lasts more than 5 days or gets worse
- new symptoms occur
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

### **Keep out of reach of children.**

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

### **Directions**

- **this product does not contain directions or warnings for adult use**
- **do not use more than directed**
- remove wrapper
- carefully insert suppository well up into the rectum

<b>Dosing Chart</b>	
<b>Age</b>	<b>Dose</b>
under 3 years	Do not use unless directed by a doctor
3 to 6 years	Use 1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)

### **Other information**

- store at 20-25°C (68-77°F) or in a cool place
- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.

### **Inactive ingredient**

hydrogenated vegetable oil

### **Questions or comments?**

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

### **Principal Display Panel**

Foster & Thrive™

COMPARE TO FeverAll® ACTIVE INGREDIENT

FOR CHILDREN

Pain Reliever

Acetaminophen Suppositories 120 mg

ACTUAL SIZE


PAIN RELIEVER/FEVER REDUCER

Ages 3-6 years

SEE NEW WARNING

12 RECTAL SUPPOSITORIES, 120 mg EACH





## FOSTER AND THRIVE PAIN RELIEVER

acetaminophen suppository

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1270
Route of Administration	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	120 mg

### Inactive Ingredients

Ingredient Name	Strength
COTTONSEED OIL (UNII: H3E878020N)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1270-1	12 in 1 CARTON	04/07/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA070607	04/07/2025	

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 4/2025

Strategic Sourcing Services LLC