

**RITE AID MINERAL SUNSCREEN BROAD SPECTRUM SPF 50- titanium dioxide,  
zinc oxide spray  
Rite Aid**

-----  
**Rite Aid Mineral Sunscreen Spray Broad Spectrum SPF 50**

**Active ingredients**

Titanium Dioxide 3.5%

Zinc Oxide 7.25%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

**Stop use and ask doctor if**

- rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold can 4-6 inches away from skin top apply
- do not spray into face. Spray into hand and apply to face.
- use in a well ventilated areas

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF Value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## Other Information

- protect the product in the container from excessive heat and direct sun
- may stain or damage some fabrics

## Inactive ingredients

Water, Isohexadecane, Isododecane, Caprylic/Capric Triglyceride, C12-15 Alkyl Benzoate, Neopentyl Glycol Diheptanoate, Shea Butter Ethyl Esters, Carthamus Tinctorius (Safflower) Seed Oil, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Butyloctyl Salicylate, Coco-Glucoside, Cetearyl Alcohol, Cetearyl Glucoside, Cetearyl Oliviate, Sorbitan Oliviate, Ethylhexylglycerin, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Hydroxide, Chlorphenesin, Xanthan Gum, Aloe Barbadensis Leaf Juice, Tocopherol, Glycerin, Sodium Gluconate, Citric Acid.


## Labels

Rite Aid Mineral Sunscreen Spray provides a physical layer of broad-spectrum protection from the sun's harmful UVA/UVB rays. This easy-on, mineral-based sunscreen spray is sheer, lightweight and dries clear and quickly.

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Titanium Dioxide 3.5% Zinc Oxide 7.25%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Do not use</b> • on damaged or broken skin	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches away from the skin to apply • do not spray directly into face. Spray into hands then apply to face • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain some fabrics	
<b>Inactive ingredients</b> aloe barbadensis leaf juice, butyloctyl salicylate, C12-15 alkyl benzoate, C30-38 olefin / isopropyl maleate / MA copolymer, caprylic / capric triglyceride, carthamus tinctorius (safflower) seed oil, cetearyl alcohol, cetearyl glucoside, cetearyl olivate, chlorphenesin, citric acid, coco-glucoside, ethylhexylglycerin, glycerin, isododecane, isohexadecane, neopentyl glycol diheptanoate, shea butter ethyl esters, simmondsia chinensis (jojoba) seed oil, sodium gluconate, sodium hydroxide, sorbitan olivate, tocopherol, water, xanthan gum.	

\*No parabens separately added to preserve this product.

**DISTRIBUTED BY:**  
RITE AID  
200 NEWBERRY COMMONS  
ETTERS, PA 17319  
[www.riteaid.com](http://www.riteaid.com)



**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money.

## RITE AID MINERAL SUNSCREEN BROAD SPECTRUM SPF 50

titanium dioxide, zinc oxide spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0058
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	35 mg in 1 g

<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	72.5 mg in 1 g
---	------------	----------------

## Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>MAGNESIUM SULFATE HEPTAHYDRATE</b> (UNII: SK47B8698T)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>SHEA BUTTER ETHYL ESTERS</b> (UNII: V2CI786FPG)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>SODIUM GLUCONATE</b> (UNII: R6Q3791S76)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0058-1	179 g in 1 CAN; Type 0: Not a Combination Product	01/10/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/10/2023	

**Labeler** - Rite Aid (014578892)