

IBEALEE WART REMOVER- ibealee wart remover liquid
Shenzhen Yikai Electronic Technology Co., Ltd.

Active Ingredient

Salicylic acid 12%

Purpose

wart remover

Use

- for the removal of common and plantar warts
- the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings

For external use only.
keep away from fire and flame.
only use on affected area.

Do not use

- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When Using

- avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap the bottle tightly
- out of direct sunlight and store at room temperature away from heat

Stop Use

- if discomfort persists.

●if you have diabetes or poor blood circulation.Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep Out Of Reach Of Children

Please store this product out of the reach of childre

Directions

- wash the affected area
- may soak the wart in warm water for 5 minutes · dry area thoroughly
- using the applicator(brush or cotton swab), apply one drop at a time to sufficiently cover each wart
- allow it to fully absorb and let dry
- repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients

Cnidium monnieri, Podophyllum,Hawthorn, Stelleria chamaejasme, Sophora flavescens, Earthy hibiscus bark, Honeysuckle

PRINCIPAL DISPLAY PANEL



Active ingredients	Purpose
Salicylic acid 12% w/w	Wart remover
<p>Uses ● For the removal of common and plantar warts ● The common wart is easily recognized by the rough cauliflower-like appearance of the surface ● The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern</p> <p>Warnings ● For external use only ● Keep away from fire and flame ● Only use on affected areas</p> <p>Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes</p> <p>When using this product: ● Avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat</p> <p>Stop use and ask a doctor: ● if discomfort persists ● if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</p> <p>Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks</p> <p>Inactive ingredients: Octidium monnierii, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earihy fibicus bark, Honeysuckle</p>	

Drug Facts

Active ingredients Salicylic acid 12% w/w
Purpose Wart remover

Uses ● For the removal of common and plantar warts ● the common wart is easily recognized by the rough cauliflower-like appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings
For external use only, keep away from fire and flame, only use on affected area.

Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: ● if discomfort persists ● if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Octidium monnierii, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earihy fibicus bark, Honeysuckle

Drug Facts

Active ingredients Salicylic acid 12% w/w
Purpose Wart remover

Uses ● For the removal of common and plantar warts ● the common wart is easily recognized by the rough cauliflower-like appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings
For external use only, keep away from fire and flame, only use on affected area.

Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: ● if discomfort persists ● if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Octidium monnierii, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earihy fibicus bark, Honeysuckle

Product Name: iBeaLee Wart Remover
Specification: 20 mL in 1BOTTLE

Shelf Life: 3 years
Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.

Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen

UK REP: EVATOST CONSULTING LTD Suite11, First Floor, Moy Road Business Centre, Taffs Wsl, Cardiff, Wales, CF15 7QR contact@evatmasr128.com

EC REP: eVatmaster Consulting GmbH Bettinastr. 30, 60325 Frankfurt am Main, Germany contact@evatmasr128.com

Made in China



MFG: 08/11/2023
EXP: 07/11/2026
LOT: 1828231108



iBeaLee

MAXIMUM STRENGTH

WART REMOVER

FAST ACTING LIQUID

- PENETRATES & REMOVES WARTS
- EFFECTIVELY REMOVES WARTS
- STARTS KILLING WARTS FAST

**NATURAL,
SAFE,
AND EFFECTIVE**

e 20ml NET WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w.....wart remover
Purpose.....wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings
For external use only.
keep away from fire and flame.
only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists. • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earthy hibiscus bark, Honeysuckle

iBeaLee

MAXIMUM STRENGTH

WART REMOVER

FAST ACTING LIQUID

- PENETRATES & REMOVES WARTS
- EFFECTIVELY REMOVES WARTS
- STARTS KILLING WARTS FAST

**NATURAL,
SAFE,
AND EFFECTIVE**

e 20ml NET WT.0.68 FL.OZ

Product Name: iBeaLee Wart Remover

Specification: 20 mL in 1BOTTLE

Shelf Life: 3 years

Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.

Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen

UK | REP

EVATOST CONSULTING LTD
Suite11, First Floor, Moy Road
Business Centre, Tafts Wsll,
Cardiff, Wales, CF15 7QR
contact@evatmasr128.com

EC | REP

eVatmaster Consulting GmbH
Bettinestr. 30, 60325
Frankfurt am Main, Germany
contact@evatmasr128.com



MFG: 06/11/2023
EXP: 07/11/2026
LOT: IB26231108

iBeaLee

WART REMOVER

FAST ACTING LIQUID

- PENETRATES & REMOVES WARTS
- EFFECTIVELY REMOVES WARTS
- STARTS KILLING WARTS FAST

**NATURAL, SAFE,
AND EFFECTIVE**

e 20ml NET WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w.....wart remover
Purpose.....wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings
For external use only. • keep away from fire and flame. • only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists. • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earthy hibiscus bark, Honeysuckle



Drug Facts

Active ingredients	Purpose
Salicylic acid 12% w/w	Wart Remover
Uses ● for the removal of common and plantar warts ● the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern	
Warnings For external use only, keep away from fire and flame. ● only use on affected area.	
Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes	
When using this product: ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat	
Stop use and ask a doctor: ● if discomfort persists ● if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks	
Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earthy fibrous bark, Honeyuckle	



Drug Facts

Active ingredients Salicylic acid 12% w/w.....wart remover

Purpose.....wart remover

Uses ● for the removal of common and plantar warts ● the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings ● for external use only ● keep away from fire and flame ● only use on affected area

Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: ● if discomfort persists, ● if you have diabetes or poor blood circulation ● keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Chidium mormoni, Podophyllum flaviflorum, Stelleria chamaejasme, Sophora flavescens, Earihy hibiscus bark, Honeysuckle

iBeaLee®

iBeaLee®
COSMETICS

SKIN TAG REMOVER

- 7Days+ Fast Removal
- Effective and Safe
- Face and Body
- Easy to Use



SKIN TAG REMOVER PEN

NET:5ml

Drug Facts

Active ingredients	Purpose
Salicylic acid 12% w/w.....	wart remover

Uses ● for the removal of common and plantar warts ● the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings
For external use only.
Keep away from fire and flame.
only use on affected area.

Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: ● if discomfort persists, ● if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Earthy hibiscus bark, Honeysuckle

UK REP

EVATOST CONSULTING LTD
Suite11, First Floor, May Road
Business Centre, Talis Well,
Cardiff, Wales, CF15 7QR
contact@evalmasr128.com

EC REP

eVatmaster Consulting GmbH
Bettlinstr. 30, 60325
Frankfurt am Main, Germany
contact@evalmasr128.com

MFG: 08/11/2023
EXP: 07/11/2026
LOT: IB20231008



Made in China

Product Name: iBeaLee Wart liquid
 Specification: 5 mL in 1BOTTLE
 Shelf Life: 3 years
 Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.
 Address: Wansheng Department Store, Wanzhong City, Minzhi Street,
 Longhua New District, Shenzhen





MAXIMUM STRENGTH

iBeaLee
LIQUID
WARTS&TAGS
REMOVER

FAST ACTING

EFFECTIVELY MOVES WARTS

EFFICACY

- ✓ PENETRATES & REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST

e20ml NET WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w **Purpose** wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot's tenderness and the interruption of the footprint pattern.

Warnings
For external use only. Keep away from fire and flame. Only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podocarpium flaviflorum, Stellera chamaejasme, Sophora flavescens, Earihy hibiscus bark, Honeysuckle

MAXIMUM STRENGTH

iBeaLee
LIQUID
WARTS&TAGS
REMOVER

FAST ACTING

EFFECTIVELY MOVES WARTS

EFFICACY

- ✓ PENETRATES & REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST

e20ml NET WT.0.68 FL.OZ

Product Name: iBeaLee Wart Remover
Specification: 20 mL in 1BOTTLE

Shelf Life: 3 years

Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.

Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen

UK REP
EVATOST CONSULTING LTD
Suite11, First Floor, Moy Road
Business Centre, Taffs Wsl,
Cardiff, Wales, CF15 7QR
contact@evatmasr128.com

EC REP
eVatmaster Consulting GmbH
Bettinastr. 30, 60325
Frankfurt am Main, Germany
contact@evatmasr128.com

Made in China

6 974845 345340

MAXIMUM STRENGTH

iBeaLee
LIQUID
WARTS&TAGS
REMOVER

FAST ACTING

EFFECTIVELY MOVES WARTS

EFFICACY

- ✓ PENETRATES & REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST

e20ml NET WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w **Purpose** wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by the location only on the bottom of the foot's tenderness and the interruption of the footprint pattern.

Warnings
• For external use only. • Keep away from fire and flame. • Only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists. • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podocarpium flaviflorum, Stellera chamaejasme, Sophora flavescens, Earihy hibiscus bark, Honeysuckle

MFG: 08/11/2023
EXP: 07/11/2026
LOT: B20231108



MAXIMUM STRENGTH

iBeaLee
ADVANCED
WART REMOVER

FAST ACTING LIQUID

SAFE & GENTLE
FAST & EFFECTIVE
NATURAL PREMIUM FORMULA

e 20ml NET WT 0.68 FL.OZ

Drug Facts
Active ingredients Salicylic acid 12% w/w
Purpose Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot's tenderness and the interruption of the footprint pattern

Warnings
For external use only. Keep away from fire and flame. Only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum hexandrum, Stelleria chamaejasme, Sophora flavescens, Earihy hisbus bark, Honeysuckle

Product Name: iBeaLee Wart Remover
Specification: 20 mL in 1 BOTTLE
Shelf Life: 3 years
Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.
Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen
UK REP EVATOST CONSULTING LTD Suite 11, First Floor, Moy Road Business Centre, Taffs Wail, Cardiff, Wales, CF15 7QR contact@evatmasr128.com
EC REP eVatmaster Consulting GmbH Bottinstraße, 30, 60325 Frankfurt am Main, Germany contact@evatmasr128.com

Made in China

6 974845 845345

MAXIMUM STRENGTH

iBeaLee
ADVANCED
WART REMOVER

FAST ACTING LIQUID

SAFE & GENTLE
FAST & EFFECTIVE
NATURAL PREMIUM FORMULA

e 20ml NET WT 0.68 FL.OZ

Drug Facts
Active ingredients Salicylic acid 12% w/w
Purpose Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot's tenderness and the interruption of the footprint pattern

Warnings
For external use only. Keep away from fire and flame. Only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum hexandrum, Stelleria chamaejasme, Sophora flavescens, Earihy hisbus bark, Honeysuckle





MAXIMUM STRENGTH NEW LOOK

ADVANCED WART REMOVER

FOR MAXIMUM STRENGTH TREATMENT OF ALL COMMON WARTS



✓FAST-ACTING LIQUID ✓EASY TO USE

PLANT-BASED FORMULA PAINLESS, SAFE, AND EFFECTIVE

e20ml NET WT.0.68 FL.OZ

MAXIMUM STRENGTH NEW LOOK

ADVANCED WART REMOVER

FOR MAXIMUM STRENGTH TREATMENT OF ALL COMMON WARTS



✓FAST-ACTING LIQUID ✓EASY TO USE

PLANT-BASED FORMULA PAINLESS, SAFE, AND EFFECTIVE

e20ml NET WT.0.68 FL.OZ

MAXIMUM STRENGTH NEW LOOK

ADVANCED WART REMOVER

FOR MAXIMUM STRENGTH TREATMENT OF ALL COMMON WARTS



✓FAST-ACTING LIQUID ✓EASY TO USE

PLANT-BASED FORMULA PAINLESS, SAFE, AND EFFECTIVE

e20ml NET WT.0.68 FL.OZ

Product Name: iBeaLee Wart Remover
Specification: 20 ml, in 1BOTTLE
Shelf Life: 3 years
Manufacturer: Shenzhen Yikal Electronic Technology Co., Ltd.
Address: Wansheng Department Store,Wanzhong City, Minzhi Street, Longhua NewDistrict,Shenzhen
UK REP
 EVATOST CONSULTING LTD Suite11, First Floor, Moy Road Business Centre, Taffs Wsl, Cardiff, Wales, CF15 7QR contact@evatmasr128.com
EC REP
 eVatmaster Consulting GmbH Bettinastr. 30, 60325 Frankfurt amMain,Germany contact@evatmasr128.com
 Made in China


 6 974845 445866

MFG: 08/11/2023
 EXP: 07/11/2026
 LOT: IB20231108



MAXIMUM STRENGTH NEW LOOK

ADVANCED WART REMOVER

FOR MAXIMUM STRENGTH TREATMENT OF ALL COMMON WARTS

✓FAST-ACTING LIQUID ✓EASY TO USE

PLANT-BASED FORMULA PAINLESS, SAFE, AND EFFECTIVE e20ml NET WT.0.68 FL.OZ

Drug Facts
Active ingredients Salicylic acid 12% w/w.....wart remover
Purpose.....wart remover
Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough/cauliflower-like appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern
Warnings
 • For external use only • Keep away from fire and flame • only use on affected areas
Do not use: • on irritated skin or any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes
When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat
Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks
Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasam, Sophora flavescens, Earthy Hibiscus bark, Honeyuckle
For external use only • Keep away from fire and flame • only use on affected areas
Do not use: • on irritated skin or any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes
When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat
Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks
Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasam, Sophora flavescens, Earthy Hibiscus bark, Honeyuckle



Drug Facts
Active ingredients Salicylic acid 12% w/w
Purpose Wart Remover

Uses For the removal of common and plantar warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
 For external use only. Keep away from fire and flame. Only use on affected area.

Do not use: on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes.

When using this product: avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes. Cap the bottle tightly. Avoid inhaling vapors. Use at room temperature away from heat.

Stop use and ask a doctor: if discomfort persists. If you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: wash the affected area. May soak the wart in warm water for 5 minutes. Dry area thoroughly. Using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart. Allow it to fully absorb and let dry. Repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks.

Inactive ingredients: Cnidium monnieri, Podophyllum/Hawthorn, Stellera chamaejasme, Sophora flavescens, Earthy Hibiscus bark, Honeyuckle.

MFG: 05/11/2023
 EXP: 07/11/2026
 LOT: 1B26231168



iBeaLee

MAXIMUM STRENGTH
ADVANCED

**WART
REMOVER**

FAST ACTING LIQUID

EFFICACY

- ✓ PENETRATES
- ✓ REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST



20ml NET
WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w

Purpose Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings For external use only. Keep away from fire and flame. only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasen, Sophora flavescens, Earthy Hibiscus bark, Honeyuckle

iBeaLee

MAXIMUM STRENGTH
ADVANCED

**WART
REMOVER**

FAST ACTING LIQUID

EFFICACY

- ✓ PENETRATES
- ✓ REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST



20ml NET
WT.0.68 FL.OZ

Product Name: iBeaLee Wart Remover

Specification: 20 ml, in 1BOTTLE

Shelf Life: 3 years

Manufacturer: Shenzhen Yikai Electronic Technology Co., Ltd.

Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen

UK REP

EVATOST CONSULTING LTD
Suite11, First Floor, Moy Road
Business Centre, Taffs Wsil,
Cardiff, Wales, CF15 7QR
contact@evatmasr128.com

EC REP

eVatmaster Consulting GmbH
Bettinastr. 30, 60325
Frankfurt am Main, Germany
contact@evatmasr128.com

Made in China



MFG: 08/11/2023
EXP: 07/11/2026
LOT: 1828231108



iBeaLee

MAXIMUM STRENGTH
ADVANCED

**WART
REMOVER**

FAST ACTING LIQUID

EFFICACY

- ✓ PENETRATES
- ✓ REMOVES WARTS
- ✓ EFFECTIVELY REMOVES WARTS
- ✓ STARTS KILLING WARTS FAST



20ml NET
WT.0.68 FL.OZ

Drug Facts

Active ingredients Salicylic acid 12% w/w

Purpose Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings For external use only. Keep away from fire and flame. only use on affected area.

Do not use: • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product: • avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap the bottle tightly • out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: • if discomfort persists • if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • wash the affected area • may soak the wart in warm water for 5 minutes • dry area thoroughly • using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart • allow it to fully absorb and let dry • repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasen, Sophora flavescens, Earthy Hibiscus bark, Honeyuckle



IBEALEE WART REMOVER

ibealee wart remover liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:83809-002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	12 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PODOPHYLLUM (UNII: 2S713A4VP3)	
HIBISCUS SYRIACUS BARK (UNII: U6PQI719P3)	
LONICERA HYPOGLAUCA FLOWER (UNII: 3ADI26ATFY)	
CNIDIUM MONNIERI FRUIT OIL (UNII: JK0MS9P8YL)	
HAWTHORN LEAF WITH FLOWER (UNII: 6OM09RPY36)	
STELLERA CHAMAEJASME WHOLE (UNII: 80N0P0DD9J)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83809-002-01	5 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/20/2023	
2	NDC:83809-002-02	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/20/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	11/20/2023	

Labeler - Shenzhen Yikai Electronic Technology Co., Ltd. (700426808)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Yikai Electronic Technology Co., Ltd.		700426808	label(83809-002) , manufacture(83809-002)

Revised: 11/2023

Shenzhen Yikai Electronic Technology Co., Ltd.