OXYGEN - oxygen gas Cumberland Medical Center- Medical Equipment Services

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product





CAS NO: 7782-44-7

AWARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER CONTENTS: # ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. # **UN 1073** VIGOROUSLY ACCELERATES COMBUSTION.

NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52°C (125°F). CAN CAUSE SEVERE FROSTBITE. For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement. Do not get liquid in eyes, on skin or clothing Store and use with adequate ventilation Use only with equipment cleaned for oxygen service Keep oil, grease, and combustibles away PRESSURE LITERS N

dind 딿 OXYGEN

REFRIGERATED OXYGEN

Cumberland Medical Center Inc. 591 South Main Street Crossville, TN 38555 1 800 474 4033

OXYGEN

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53742-001
Route of Administration	RESPIRATORY (INHALATION)		

△ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other △ FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately

Use a back flow preventive device in the piping.
Use in accordance with the Material Safety Data Sheet (MSDS).

Close valve after each use and when empty

medical applications, Rx Only.

conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL

equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53742-001-01	170 L in 1 CYLINDER		
2	NDC:53742-001-02	425 L in 1 CYLINDER		
3	NDC:53742-001-03	680 L in 1 CYLINDER		
4	NDC:53742-001-04	6400 L in 1 CYLINDER		
5	NDC:53742-001-05	3455 L in 1 CYLINDER		
6	NDC:53742-001-06	157 L in 1 DEWAR		
7	NDC:53742-001-07	21 L in 1 DEWAR		
8	NDC:53742-001-08	30 L in 1 DEWAR		
9	NDC:53742-001-09	40 L in 1 DEWAR		
10	NDC:53742-001-10	41 L in 1 DEWAR		
11	NDC:53742-001-11	46 L in 1 DEWAR		
12	NDC:53742-001-12	55 L in 1 DEWAR		
13	NDC:53742-001-13	715 L in 1 DEWAR		
14	NDC:53742-001-14	447 L in 1 DEWAR		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		12/21/1999		

Labeler - Cumberland Medical Center- Medical Equipment Services (074902479)

Establishment			
Name	Address	ID/FEI	Business Operations
Cumberland Medical Center- Medical Equipment Services		074902479	manufacture

Revised: 12/2009 Cumberland Medical Center- Medical Equipment Services